Journal of Applied Polymer Science

Author Index—Volume 73

Abadie, M. J. M. See Heba-Laref, F., 2089

Abadir, I. F. See Abd-El-Messieh, S. L., 1509

Abd-El-Messieh, S. L.
—; El-Sabbagh, S.; Abadir, I. F.: Dielectric Relaxation and Mechanical Investigation of Ethylene Propylene Diene Monomer with Some Crosslinking Additives, 1509

Abhiraman, A. S. See Akki, R., 1343; Dorsey, K. D., 1215

Abusamah, A. See Kumar, R. N., 1569

Achour, M. E.
—; El Malhi, M.; Miane, J. L.; Carmona, F.; Lahjomri, F.: Microwave Properties of Carbon Black–Epoxy Resin Composites and Their Simulation by Means of Mixture Laws, 969

Acierno, D. See Frigione, M., 1457

Acosta, J. L. See Morales, E., 1023

Adhikari, B. See De, D., 2951

Adhikari, R.
—; Gunatillake, P. A.; Meijs, G. F.; McCarthy, S. J.: The Effect of Diisocyanate Isomer Composition on Properties and Morphology of Polyurethanes Based on 4,4′-Dicyclohexyl Methane Diisocyanate and Mixed Macrodiols (PDMS–PHMO), 573

Afifi, M. S. See Ismail, M. R., 685

Agarwal, S.
—; Karl, M.; Dehnicke, K.; Seybert, G.; Massa, W.; Greiner, A.: Ring-Opening Polymerization of ε-Caprolactone and δ-Valerolactone Using New Sm(III) μ-Halo-bis(trimethylsilyl)amido Complexes, 1669

Agbo, A. See Eromosele, I. C., 1751

Ahmed, M. G. M. See Saad, A. L. G., 2657

Ahn, S. J.
—; Lee, K. H.; Kim, B. K.; Jeong, H. M.: Morphology and Physical Properties of SAN/NBR Blends: The Effect of AN Content and Melt Viscosity of SAN, 935

Ai, Z. See Huang, H., 315

Ajayi, J. O. See Eromosele, I. C., 2057

Ajroldi, G. See Righetti, M. C., 377

Akashi, M. See Kishida, A., 2545

Akki, R.
—; Desai, P.; Abhiraman, A. S.: A Framework for Morphological Evolution vis-à-vis Phase Transitions in Polymer Solutions, 1343

Akovali, G.
Studies with Gradient Polymers of Polystyrene and Poly(methylacrylate), 1721

Akrman, J.
—; Přikryl, J.: Dyeing Behavior of Polypropylene Blend Fiber. III. Effect of Drawing on Dyeability, 719

Albores-Velasco, M. See Cardoso, J., 1409

Alfageme, J. A.
—; Iriarte, M.; Iruin, J. J.; Etxeberria, A.; Uriarte, C.: Water-Transport Properties in Polyetherimide Blends with a Liquid Crystal Polymer, 323

Ali, M. A. M. See Ismail, M. R., 685

Almanza, O. See Rodríguez-Pérez, M. A., 2825

Ameduri, B.
—; Bauduin, G.; Kostov, G. K.; Petrova, P.; Rousseau, A.: Synthesis and Polymerization of Fluorinated Monomers Bearing a Reactive Lateral Group—Part 7. Copolymerization of Tetrafluoroethylene with ω-Hydroxy Trifluorovinyl Monomers, 189

Aminabhavi, T. M. See Kulkarni, A. R., 2437; Siddaramaiah, 2051

Anbarasan, R.
—; Vasudevan, T.; Kalaignan, G. P.; Gopalan, A.: Chemical Grafting of Aniline and *o*-Toluidine onto Poly(ethylene terephthalate) Fiber, 121

Anglès, M. N.
—; Reguant, J.; Montané, D.; Ferrando, F.; Farriol, X.; Salvadó, J.: Binderless Composites from Pretreated Residual Softwood, 2485

Aoi, K. See Takasu, A., 1171

Areso, S. See García-Martínez, J. M., 2837

Asaoka, S.
—; Sakurai, T.; Kitajima, M.; Hanazawa, H.: Relation between the Phase Structure and Surface Structure of Films Made from Polyurethane Dispersions, 741

Assaad, F. F. See Mekhamer, W. K., 659

Atul, V. B. See Siddaramaiah, 795

Babu, P. R.
—; Gaikar, V. G.: Preparation, Structure, and Transport Properties of Ultrafiltration Membranes of Poly(vinyl chloride) (PVC), Carboxylated Poly(vinyl chloride) (CPVC), and PVC/CPVC Blends, 1117

Bachner, C. See Gahleitner, M., 2507

Bacquet, M. See Delacour, M.-L., 899

Bae, Y. C. See Chang, B. H., 2627; Kim, J. Y., 1891

Baer, E. See Nazarenko, S., 2877; Pawlak, A., 203

Bai, H. See Li, X.-G., 2927

Baird, D. G. See Collier, M. C., 2517; McLeod, M. A., 2209

Balta Calleja, F. J. See Privalko, V. P., 1041
Bandermann, F. See Beckelmann, D., 1533; Hesterwerth, D., 1521
Banerjee, A. N. See Maji, T. K., 2187
Bang, Y. H.
—; Lee, S.; Park, J. B.; Cho, H. H.: Effect of Coagulation Conditions on Fine Structure of Regenerated Cellulosic Films Made from Cellulose/*N*-Methylmorpholine-*N*-Oxide/H_2O Systems, 2681
Baranov, A. O.
—; Medintseva, T. I.; Zhorina, L. A.; Zelenetskii, A. N.; Prut, E. V.: Dispersivity of Rubbers in Thermoplastic Polymers, 1563
Bauduin, G. See Ameduri, B., 189
Bayero, S. S. See Eromosele, I. C., 1757
Beckelmann, D.
—; Bandermann, F.: Classification of Polar Additives with Respect to Their Influence on the Microstructure in Anionic Polymerization of Isoprene with Butyllithium by Transition Energy Measurements, 1533
—; See Hesterwerth, D., 1521
Beer, F.
—; Capaccio, G.; Rose, L. J.: High Molecular Weight Tail and Long-Chain Branching in SRM 1476 Polyethylene, 2807
Bellander, M.
—; Stenberg, B.; Persson, S.: Network Structure and Reaction Mechanisms in High Pressure and Peroxide Vulcanization of Polybutadiene: Microstructural Changes Studied by ^{13}C Solid-State NMR, 2799
Bell, J. P. See Zhang, X., 2265
Bevis, M. J. See Kalay, G., 2473
Beyreuther, R. See Schmack, G., 2785
Biswas, M. See Ray, S. S., 2971
Blay, G. A. See Kuila, D., 1097
Borjas, R. E. See Kuila, D., 1097
Bouguettaya, M.
—; Vallière, M.; Chevrot, C.: Poly(*N*-glycidyl carbazole): A New Crosslinkable Conjugated Polymer, 1483
Brar, A. S. See Mukherjee, M., 55
Bretas, R. E. S. See de Carvalho, B., 2003
Breuer, O.
—; Tchoudakov, R.; Narkis, M.; Siegmann, A.: The Interrelation Between Morphology, Resistivity, and Flow Properties of Carbon Black–Containing HIPS/EVA Blends, 1655
Broda, J.
—; Ślusarczyk, C.; Włochowicz, A.: Influence of Heat-Stabilization on Supermolecular Structure of Colored PP Fibers, 477
Brouko, A. A. See Kyritsis, A., 385
Brunovska, Z.
—; Ishida, H.: Thermal Study on the Copolymers of Phthalonitrile and Phenylnitrile: Functional Benzoxazines, 2937
Brunovska, Z. See Kim, H. J., 857

Cai, C.
—; Nunes, R.; Lien, A.; Galligan, E.; Levon, K.: The Process to Make a Ridge- and Fringe-Field Multidomain Structure Using a Photoimageable Polymer for a Wide Viewing Angle Liquid Crystal Display Application, 1197
Caldwell, G. See Meirim, M. G., 2143
Calos, N. See Forsythe, J. S., 807
Campos, E. A. See Dutra, R. C. L., 69
Cao, Y. Q. See Xu, W. J., 2385
Capaccio, G. See Beer, F., 2807
Cárdenas T., G.
—; Salgado C., E.; Morales, J.; Soto Z., H.: Synthesis and Properties of Poly(butylacrylate-*co*-butylmethacrylate) Doped with Metal Clusters, 1239
Cardoso, J.
—; Rubio, L.; Albores-Velasco, M.: Thermal Degradation of Poly(sulfobetaines), 1409
Carmona, F. See Achour, M. E., 969
Carriere, C. J.
The Effect of Amylose Content from Differing Botanical Sources on the Nonlinear Viscoelastic Properties of Semidilute Solutions of Maize Starches, 2429
Çaykara, T.
—; Eroğlu, M. S.; Güven, O.: Gamma-Rays Induced Copolymerization of Vinyl Triethoxy Silane and Methyl Methacrylate: Their Spectroscopic Characterization, 141
Cazaux, F. See Ruckert, D., 409
Chang, B. H.
—; Bae, Y. C.: Molecular Thermodynamics of Binary Polymer Solutions Using Modified Double Lattice Model: Chain Length Dependence of Primary Lattice, 2627
Chang, F.-C. See Hsiue, G.-H., 1231; Ju, M.-Y., 2029
Chang, S.-Y. See Yang, C.-P., 271
Chang, Y. K.
—; Youk, J. H.; Jo, W. H.; Lee, S. C.: The Effect of Transreactions on Phase Behavior in Poly(ethylene 2,6-naphthalate) and Poly(ethylene isophthalate) Blends, 1851
Chang, Y.-W.
—; Shin, Y.-S.; Chun, H.; Nah, C.: Effects of *trans*-Polyoctylene Rubber (TOR) on the Properties of NR/EPDM Blends, 749
Chao, M. S. See Ou, C. F., 2727
Chatterjee, S. K. See Mukherjee, M., 55
Chauhan, G. S. See Kaur, I., 2959
Chen, C.-H.
—; Lo, Y.-W.: Application of Factorial Experimental Design to Demonstrate the Influence of Processing Conditions on the Fusion of Poly(vinyl chloride)/Chlorinated Polyethylene/Oxidized Polyethylene Blends, 2755
Chen, D. See Liu, X., 2569
Chen, G.
—; Yao, K.; Zhao, J.: Montmorillonite Clay/Poly(methyl

methacrylate) Hybrid Resin and Its Barrier Property to the Plasticizer Within Poly(vinyl chloride) Composite, 425
Chen, H. See Zhou, X., 1913
Chen, H.-D. See Shih, W.-C., 2739
Chen, J.-A. See Yang, C.-P., 987
Chen, J.-W.
—; Chen, L.-W.: The Glycolysis of Poly(ethylene terephthalate), 35
Chen, L.-W. See Chen, J.-W., 35
Chen, L. W. See Lin, J. R., 1305
Chen, R. H. See Tsaih, M. L., 2041
Chen, S. See Huang, Z., 1379
Chen, S.-H. See Yang, C.-P., 271
Chen, X.
—; Li, W.; Shao, Z.; Zhong, W.; Yu, T.: Separation of Alcohol–Water Mixture by Pervaporation Through a Novel Natural Polymer Blend Membrane–Chitosan/Silk Fibroin Blend Membrane, 975
—; See Yang, H., 623
Chen, Y. See Wang, Z., 2869
Cheng, S. See Huang, H., 315
Chevrot, C. See Bouguettaya, M., 1483
Chiu, S. C. See Huang, P. T., 295
Chiu, S.-H.
—; Pong, S.-H.: Estimation of the Ends Pressure Drop in an Online Capillary Rheometer—Using the Neural Network Approach, 2183
Cho, C. S. See Cho, S. M., 2151; Choi, H.-K., 2749
Cho, H. H. See Bang, Y. H., 2681
Cho, S. M.
—; Kim, S. Y.; Lee, Y. M.; Sung, Y. K.; Cho, C. S.: Synthesis, Properties, and Permeation of Solutes through Hydrogels Based on Poly(ethylene glycol)-*co*-poly(lactones) Diacrylate Macromers and Chitosan, 2151
Cho, W.-J. See Kim, S.-H., 2349; Lee, S. J., 1697
Choe, S. See Lee, C.-H., 841
Choi, H.-K.
—; Kim, O.-J.; Chung, C.-K.; Cho, C.-S.: A Novel Mucoadhesive Polymer Prepared By Template Polymerization of Acrylic Acid in the Presence of Poly(ethylene glycol), 2749
Choi, H.-M.
—; Kim, J. H.: Characterization of Cotton Fabrics Treated with Glyoxal and Glutaraldehyde, 2691
Choi, H. R. See Kang, D. W., 469
Choi, S.-C.
—; Choi, W.-K.; Jung, H.-J.; Park, J.-G.; Chung, B.-C.; Yoo, Y.-S.; Koh, S.-K.: Relation Between Hydrophilicity and Cell Culturing on Polystyrene Petri Dish Modified by Ion-Assisted Reaction, 41
Choi, S.-S.
Migration Behaviors of Wax to Surface in Rubber Vulcanizates, 2587
Choi, W.-K. See Choi, S.-C., 41
Christiani, C.
—; Klason, C.; Shishoo, R.: The Effect of Reprocessing of Polypropylene on Fiber Spinning, 1859
Chuang, M.-H. See Wu, H.-S., 2763
Chun, H. See Chang, Y.-W., 749
Chung, B.-C. See Choi, S.-C., 41
Chung, C.-K. See Choi, H.-K., 2749
Chung, I.-D. See Kim, S.-H., 2349
Chung, T.-S. See Jin, X., 2195
Cizravi, J. C.
—; Naginlal, C.; Lim, S. L.: Moisture-Sorption Properties and Studies on the Dilute Solution Behavior of Epoxidized Natural Rubber ENR 50, 1633
Collar, E. P. See García-Martínez, J. M., 2837
Collier, M. C.
—; Baird, D. G.: The Effects of Reclamation on a Thermotropic Liquid Crystalline Polymer, 2517
Cooper, D. G. See McCaffrey, W. C., 1415
Coqueret, X. See Ruckert, D., 409
Correia, N. T.
—; Moura Ramos, J. J.; Fernandes, A. C.: Molecular Motions and Transitions in a Poly(*p*-hydroxystyrene) Derivative, 1921
Crini, G.
—; Janus, L.; Morcellet, M.; Torri, G.; Morin, N.: Sorption Properties Toward Substituted Phenolic Derivatives in Water Using Macroporous Polyamines Containing β-Cyclodextrin, 2903
Cross, L. E. See Liu, R., 2603
Cunha, A. M. See Kalay, G., 2473

Dahlan, K. Z. M. See Nasef, M. M., 2095
Dai, Y. Y. See Luo, G. S., 1555
Daitao, C.
—; Nai, S.; Duanfu, X.: Study of Electron Beam Preirradiation-Induced Graft Copolymerization of Acrylic Acid onto Powered Isotactic Polypropylene, 1357
Dave, A. M. See Kulkarni, A. R., 2437
De, D.
—; Maiti, S.; Adhikari, B.: Reclaiming of Rubber by a Renewable Resource Material. II. Comparative Evaluation of Reclaiming Process of NR Vulcanizate by RRM and Diallyl Disulfide, 2951
de Carvalho, B.
—; Bretas, R. E. S.; Isayev, A. I.: Crystallization and Microstructure in Quenched Slabs of Various Molecular Weight Polypropylenes: Modified Modeling and Experiments, 2003
Dedecker, K.
—; Groeninckx, G.: Reactive Compatibilization of the Polyamide 6/Poly(phenylene oxide) Blend by Means of Styrene–Maleic Anhydride Copolymer, 889
Dehnicke, K. See Agarwal, S., 1669
Delacour, M.-L.
—; Gailliez, E.; Bacquet, M.; Morcellet, M.: Poly(ethylenimine) Coated onto Silica Gels: Adsorption Capacity Toward Lead and Mercury, 899
De Melo, J. D. G. See Dutra, R. C. L., 69
Denes, A. R. See Tshabalala, M. A., 399
Deng, S.-M. See Li, X., 2771

Deng, X.
—; Yuan, M.; Xiong, C.; Li, X.: Polymerization of Lactides and Lactones. IV. Ring-Opening Polymerization of ε-Caprolactone by Rare Earth Phenyl Compounds, 1401
—; See Yuan, M., 2857
Deng, Y.
—; Fan, X. D.; Waterhouse, J.: Synthesis and Characterization of Soy-Based Copolyamides with Different α-amino Acids, 1081
Dennison, M. See Nazarenko, S., 2877
Denton, D. D. See Pan, Y. V., 1, 17
Desai, P. See Akki, R., 1343; Dorsey, K. D., 1215
de Saja, J. A. See Rodríguez-Pérez, M. A., 2825
de Souza, C. M. G.
—; Pacheco, C. R.; Tavares, M. I. B.: Evaluation of EVA–PVAc Blend Behavior by 1-D and 2-D Solid-State NMR, 221
Ding, M. See Liu, Y., 521
Doi, Y. See Matsuyama, H., 961
Dong, J. H. See Zhou, W., 419
Donth, E. See Vieweg, S., 495
Dorsey, K. D.
—; Desai, P.; Abhiraman, A. S.; Hinkley, J. A.; St. Clair, T. L.: Structure and Properties of Melt-Extruded LaRC-IA (3,4′-ODA 4,4′-ODPA) Polyimide Fibers, 1215
Du, M.
—; Weng, Z.-X.; Shan, G.-R.; Huang, Z.-M.; Pan, Z.-R.: Study on Suspension Copolymerization Rate of Vinyl Chloride/*N*-phenylmaleimide, 2649
—; See Zhang, B., 1787
Du, Z. See Zhang, B., 1787
Duanfu, X. See Daitao, C., 1357
Dubault, A. See Fen-Chong, T., 2463
Dubey, S. See Singh, D., 91
Dutra, R. C. L.
—; Soares, B. G.; Campos, E. A.; De Melo, J. D. G.; Silva, J. L. G.: Composite Materials Constituted by a Modified Polypropylene Fiber and Epoxy Resin, 69
Eguiazábal, J. I. See Guerrica-Echevarría, G., 1805
Ehrenstein, G. W. See Karger-Kocsis, J., 1205
Ekinci, E. See Inan, T. Y., 2575
El-Hilw, Z. H.
Synthesis of Cotton-Bearing DEAE, Carbamoyethyl, Carboxyethyl, and Poly(acrylamide) Graft for Utilization in Dye Removal, 1007
Ellis, W. D.
—; O'Dell, J. L.: Wood–Polymer Composites Made with Acrylic Monomers, Isocyanate, and Maleic Anhydride, 2493
El Malhi, M. See Achour, M. E., 969
El-Miligy, A. A. See Ismail, M. R., 685
El-Sabbagh, S. See Abd-El-Messieh, S. L., 1509
Eroğlu, M. S. See Çaykara, T., 141
Eromosele, I. C.
—; Agbo, A.: Grafting Acrylonitrile on Kenaf Fibers Using Ceric Ion–*P*-Xylene Redox Pair, 1751
—; Ajayi, J. O.; Njaprim, K. G.; Modibbo, U.: Characterization of Cellulosic Fibers (Note), 2057
—; Bayero, S. S.: Graft Copolymerization of Acrylonitrile on Kenaf Fibers by Ceric Ion in the Presence of Allyl Compounds, 1757
Errede, L. A.
—; Tiers, G. V. D.: Polymer Swelling. XXIII. Molecular Structure–Affinity Correlation Studies Involving Poly(styrene-*co*-divinylbenzene) Exposed to Acyclic Olefinic Liquids, 1583
Etxeberria, A. See Alfageme, J. A., 323

Faizalla, A. See Moustafa, A. B., 149, 1793
Fan, J. See Liang, G., 1623
Fan, X. D. See Deng, Y., 1081
Fang, S. B. See Hu, S. W., 1397
Farnia, S. M. F.
—; Mohammadi-Rovshandeh, J.; Sarbolouki, M. N.: Synthesis and Characterization of Novel Biodegradable Triblock Copolymers from L-Lactide, Glycolide, and PPG, 633
Farriol, X. See Anglès, M. N., 2485
Favela-Torres, E. See Volke-Sepúlveda, T., 1435
Fen-Chong, T.
—; Herve, E.; Dubault, A.; Halary, J. L.: Viscoelastic Characteristics of Pentane-Swollen Polystyrene Beads, 2463
Feng, W. See Yang, G., 1387
Fernandes, A. C. See Correia, N. T., 1921
Ferrando, F. See Anglès, M. N., 2485
Ferrer, D. See Maspoch, M. L., 177
Forsythe, J. S.
—; Hill, D. J. T.; Calos, N.; Logothetis, A. L.; Whittaker, A. K.: Radiation Chemistry of Poly(tetrafluoroethylene-*co*-perfluoromethyl vinyl ether): Effects of Oxygen and Crystallinity, 807
—; Hill, D. J. T.; Logothetis, A. L.; Pomery, P. J.; Whittaker, A. K.: The Use of Crosslinking Promoters in the γ-Radiolysis of Poly(tetrafluoroethylene-*co*-perfluoromethylvinyl ether)—Part 1, 169
Fouda, I. M.
Optothermal Properties of Fibers—20—Relation Between Physical Structure and Mechanical Properties of Cold Drawn Polypropylene Fibers, 819
Francis, L. F. See Payne, J. A., 553
Friedrich, K. See Privalko, V. P., 1041; Walter, R., 1267
Frigione, M.
—; Acierno, D.; Mascia, L.: Miscibilization of Low Molecular Weight Functionalized Polyethylenes in Epoxy Resins: I. Effect of Composition and Modifications Chemistry, 1457
Fritz, H.-G. See Schmack, G., 2785
Fujii, Y. See Hasegawa, I., 1321
Furusaki, S. See Yoshida, M., 1223

Furuzono, T.
—; Ishihara, K.; Nakabayashi, N.; Tamada, Y.: Chemical Modification of Silk Fibroin with 2-Methacryloyloxyethyl Phosphorylcholine I. Graft-Polymerization onto Fabric Using Ammonium Persulfate and Interaction Between Fabric and Platelets (Note), 2541

Gahleitner, M.
—; Bachner, C.; Ratajski, E.; Rohaczek, G.; Neibl, W.: Effects of the Catalyst System on the Crystallization of Polypropylene(ASTERIK), 2507
Gaikar, V. G. See Babu, P. R., 1117
Gailliez, E. See Delacour, M.-L., 899
Galligan, E. See Cai, C., 1197
Gan, L. H. See Wang, Y. M., 2177
Gan, Y. Y. See Wang, Y. M., 2177
Gao, D. See Wang, Z., 2869
Gao, J. See Li, Y., 1799
García-Martínez, J. M.
—; Laguna, O.; Areso, S.; Collar, E. P.: FTIR Quantitative Characterization of Chemically Modified Polypropylenes Containing Succinic Grafted Groups, 2837
Ge, X. See Xu, X., 2621
George, S.
—; Nair, P. D.: Permselectivity of Nonporous Polyurethane Membranes for Immunoisolation. I. The Influence of Hydrogen Bonding, 1949
—; Varughese, K. T.; Thomas, S.: Dielectric Properties of Isotactic Polypropylene/Nitrile Rubber Blends: Effects of Blend Ratio, Filler Addition, and Dynamic Vulcanization, 255
Gerard, J. F. See Kaddami, H., 2701
Girish, S. See Siddaramaiah, 795
Glasser, W. G.
—; Taib, R.; Jain, R. K.; Kander, R.: Fiber-Reinforced Cellulosic Thermoplastic Composites, 1329
—; See Toffey, A., 1879
Goh, S. H. See Li, X., 2771
González, G. See Moreira, L. F. B., 29
Gonzalez, J. See Rosales, C., 2549
Gopalan, A. See Anbarasan, R., 121
Gordillo, A. See Maspoch, M. L., 177
Gore, M. A. See Lele, B. S., 1845
Goto, M. See Yoshida, M., 1223
Gouri, C.
—; Reghunadhan Nair, C. P.; Ramaswamy, R.: Adhesive and Thermal Characteristics of Maleimide-Functional Novolac Resins, 695
Greiner, A. See Agarwal, S., 1669
Grigorieva, O. P. See Kyritsis, A., 385
Groeninckx, G. See Dedecker, K., 889
Guerrica-Echevarría, G.
—; Eguiazábal, J. I.; Nazábal, J.: Morphology and Physical Properties of Injection-Molded, Mineral-Filled Polyamide 6/Poly(hydroxy ether of bisphenol A) Blends, 1805
Gueugnaut, D.
—; Rousselot, D.: Detection of Divergences in Polyethylene Resins Fabrication by Means of the Modified Stepwise Isothermal Segregation Technique, 2103
Guilbeaux, B. R. See Marks, M. J., 663
Guionnet, S. See Shafizadeh, J. E., 505
Gunatillake, P. A. See Adhikari, R., 573
Güngör, A. See Inan, T. Y., 2575
Guo, Q. See Huang, P., 639; Zheng, S., 1181
Guoxi, X.
—; Rui, L.; Qinhu, T.; Jinghua, L.: Mechanism Studies on the Catalytic Degradation of Waste Polystyrene into Styrene in the Presence of Metal Powders, 1139
Gupta, B.
—; Plessier, C.: Modified Polypropylene Fibers with Enhanced Moisture Absorption and Disperse Dyeability (Note), 2293
Gupta, R. R.
—; Gupta, S. K.: Multiobjective Optimization of an Industrial Nylon-6 Semibatch Reactor System Using the Genetic Algorithm, 729
Gupta, S. K. See Gupta, R. R., 729; Majumdar, N., 333; Mankar, R. B., 2309
Güven, O. See Çaykara, T., 141

Haasnoot, J. G. See Nieuwenhuizen, P. J., 1247
Ha, C.-S. See Kang, T.-K., 1707; Kim, S.-H., 2349; Lee, S. J., 1697
Ha, W. S. See Youk, J. H., 801
Hajji, P. See Kaddami, H., 2701
Halary, J. L. See Fen-Chong, T., 2463
Han, Y.-H. See Kim, J. S., 515
Hanazawa, H. See Asaoka, S., 741
Hasegawa, I.
—; Fujii, Y.; Yamada, K.; Kariya, C.; Takayama, T.: Lignin–Silica Hybrids as Precursors for Silicon Carbide, 1321
Hashim, K. See Nasef, M. M., 2095
Hassan, A. M. See Saad, A. L. G., 2657
Hauser, P. See Rivas, B. L., 369
He, G. See Yang, C., 2535
Heba-Laref, F.
—; Mouzali, M.; Abadie, M. J. M.: Effect of the Crosslinking Degree on Curing Kinetics of an Epoxy-Anhydride Styrene Copolymer System, 2089
Heinrich, G. See Vieweg, S., 495
Herbst, H. See Kartalis, C. N., 1775
Herve, E. See Fen-Chong, T., 2463
Hesterwerth, D.
—; Beckelmann, D.; Bandermann, F.: Classification of Polar Additives with Respect to Their Influence on the Microstructure in Anionic Polymerization of Butadiene with Butyllithium by Transition Energy Measurements, 1521
Hietalahti, K.
—; Root, A.; Skrifvars, M.; Sundholm, F.: A Solid-State ^{13}C Nuclear Magnetic

Resonance Study of Cured, Unsaturated Polyester Resins, 563
Hill, D. J. T. See Forsythe, J. S., 169, 807
Hiltner, A. See Nazarenko, S., 2877; Pawlak, A., 203
Hinkley, J. A. See Dorsey, K. D., 1215
Ho, T.-I. See Liaw, D.-J., 279
Hoffmann, K. See Kartalis, C. N., 1775
Hollande, S.
—; Laurent, J.-L.: Degradation Process of an Industrial Thermoplastic Elastomer Polyurethane-Coated Fabric in Artificial Weathering Conditions, 2525
Holze, R. See Malinauskas, A., 287
Hong, D. S. See Kim, K. J., 1285
Hong, J.-L. See Lin, R.-H., 1927
Hou, Y. H. See Yu, G., 489
Hsieh, Y. N.
—; Yu, T. L.: Phase Separation of Unsaturated Polyester Resin Blended with Poly(vinyl acetate), 2413
Hsiue, G.-H.
—; Wang, W.-J.; Chang, F.-C.: Synthesis, Characterization, and Thermal and Flame-Retardant Properties of Silicon-Based Epoxy Resins, 1231
Hsu, J.-M.
—; Yang, D.-L.; Huang, S. K.: Characterization of the Relaxation Transitions in Toluene Diisocyanate-Based Polyurethanes with Poly(propylene glycol) as the Soft Segment by Thermally Stimulated Current Depolarization with Relaxation Mapping Analysis, 527
Hsu, W.-P.
—; Yeh, C.-F.: Polymer Blends of Stereoregular Poly(methyl methacrylate) and Poly(styrene-*co*-*p*-hydroxystyrene), 431
Hu, F. See Huang, H., 315
Hu, M.-S. See Wang, H.-H., 2219
Hu, S. W.
—; Yan, W. D.; Fang, S. B.: Ion Conduction of Poly Methoxy Oligo (oxyethylene) Propylene} Synthesized by the $Et(Ind)_2ZrCl_2$-MAO Catalyst, 1397
Huang, C.-J. See Shih, H.-H., 1769
Huang, H.
—; Zhang, H.; Hu, F.; Ai, Z.; Tan, B.; Cheng, S.; Li, J.: Miniemulsion Copolymerization of Styrene and Butyl Acrylate Initiated by Redox System at Lower Temperature: Reaction Kinetics and Evolution of Particle-Size Distribution, 315
Huang, J. See Huang, Z., 1379; Zhang, B., 1787
Huang, M.-R. See Li, X.-G., 2911, 2927
Huang, P.
—; Zhong, Z.; Zheng, S.; Zhu, W.; Guo, Q.: Miscibility and Interchange Reactions in Blends of Bisphenol-A-Type Epoxy Resin and Poly(ethylene terephthalate), 639
Huang, P. T.
—; Lee, J. L.; Chiu, S. C.; Kwei, T. K.; Pearce, E. M.: Modification of Nylon 6 by Phenol-Containing Polymers, 295
Huang, S. K. See Hsu, J.-M., 527
Huang, S. L. See Ou, C. F., 2727
Huang, Y.-B.
—; Wessel, T. E.: Effects of Molecular Weight and Comonomer Content on the Optical Clarity of Crystallized Syndiotactic Polystyrene Sheets, 2455
Huang, Z.
—; Chen, S.; Huang, J.: Functionalization of Polyethylene Oxide with 4-Amino-*N*-(2-pyrimidinyl) Benzene Sulfonamide at One End, 1379
Huang, Z.-M. See Du, M., 2649; Shan, G.-R., 2635, 2641
Hughes, S. See Kuila, D., 1097
Huh, J.-H. See Kim, H.-D., 345
Hwang, B. J. See Lin, C. W., 2079
Hwang, J.-W. See Wu, H.-S., 2763

Iannance, S.
—; Nocilla, G.; Nicolais, L.: Biocomposites Based on Sea Algae Fibers and Biodegradable Thermoplastics Matrices, 583
Ibarra, L.
The Effect of Crosslinking Type on the Physical Properties of Carboxylated Acrylonitrile Butadiene Elastomers, 927
Ichazo, M. See Rosales, C., 2549
Ihm, S. K. See Kim, C. U., 777
Iijima, H. See Yang, G., 1387
Inagaki, N.
—; Tasaka, S.; Onadera, A.: Improved Adhesion Between Kapton Film and Copper Metal by Silane-Coupling Reactions, 1645
Inan, T. Y.
—; Özarslan, Ö.; Kuyulu, A.; Ekinci, E.; Güngör, A.: Synthesis and Characterization of Phosphorus-Containing Methacrylate-Based Difunctional Crosslinkers and Their Use In UV-Curable Resin Systems, 2575
Iordanskii, A. L.
—; Kamaev, P. P.; Zaikov, G. E.: Immobilization Influence on the Water Sorption and Diffusion in Poly-(3-hydroxybutyrate), 981
Iriarte, M. See Alfageme, J. A., 323
Iruin, J. J. See Alfageme, J. A., 323; Miguel, O., 455
Isayev, A. I. See de Carvalho, B., 2003
Ishak, Z. A. M. See Ishiaku, U. S., 75
Ishiaku, U. S.
—; Ismail, H.; Ishak, Z. A. M.: The Effect of Mixing Time on the Rheological, Mechanical, and Morphological Properties of Poly(vinyl chloride)–Epoxidized Natural Rubber Blends, 75
Ishida, H. See Brunovska, Z., 2937; Kim, H. J., 857; Smith, M. E., 593
Ishihara, K. See Furuzono, T., 2541
Ismail, H. See Ishiaku, U. S., 75
Ismail, M. R.
—; Ali, M. A. M.; El-Miligy, A. A.; Afifi, M. S.: Acid Resistance of

Polyester-Impregnated Modified Cement Mortar, 685

Jacobsen, S. See Schmack, G., 2785
Jain, R. K. See Glasser, W. G., 1329
Janus, L. See Crini, G., 2903
Jeong, C. N. See Kim, S. Y., 1675
Jeong, H. M. See Ahn, S. J., 935
Jianchun, Z. See Yuhai, G., 1161
Jiang, W. See Tjong, S. C., 2247, 2985
Jimenez, A.
—; Lopez, J.; Torre, L.; Kenny, J. M.: Kinetic Analysis of the Thermal Degradation of PVC Plastisols, 1069
Jinghua, L. See Guoxi, X., 1139
Jin, X.
—; Chung, T.-S.: Thermal Decomposition Behavior of Main-Chain Thermotropic Liquid Crystalline Polymers, Vectra A-950, B-950, and Xydar SRT-900, 2195
Jo, W. H. See Chang, Y. K., 1851; Youk, J. H., 801
Jokela, K. See Paronen, M., 1273
Ju, M.-Y.
—; Chang, F.-C.: Polymer Blends of PET–PS Compatibilized by SMA and Epoxy Dual Compatibilizers, 2029
Jung, H.-J. See Choi, S.-C., 41
Jurkowski, B. See Pesetskii, S. S., 1823

Kaddami, H.
—; Gerard, J. F.; Hajji, P.; Pascault, J. P.: Silica-Filled Poly(HEMA) from Hema/Grafted SiO_2 Nanoparticles: Polymerization Kinetics and Rheological Changes, 2701
Kalaignan, G. P. See Anbarasan, R., 121
Kalay, G.
—; Sousa, R. A.; Reis, R. L.; Cunha, A. M.; Bevis, M. J.: The Enhancement of the Mechanical Properties of a High-Density Polyethylene, 2473
Kamaev, P. P. See Iordanskii, A. L., 981
Kamal, M. R. See McCaffrey, W. C., 1415
Kander, R. See Glasser, W. G., 1329
Kang, D. W.
—; Choi, H. R.; Kweon, D. K.: Stability Constants of Amidoximated Chitosan-*g*-poly(acrylonitrile) Copolymer for Heavy Metal Ions, 469
Kang, E. T. See Wang, Y. M., 2177
Kang, S.-W. See Lee, C.-H., 841
Kang, T.-K.
—; Ha, C.-S.: Syntheses and Characterization of Poly(ethylene terephthalate) Modified with *p*-Acetoxybenzoic Acid, 1707
Karger-Kocsis, J.
—; Mouzakis, D. E.; Ehrenstein, G. W.; Varga, J.: Instrumented Tensile and Falling Weight Impact Response of Injection-Molded α- and β-Phase Polypropylene Homopolymers with Various Melt Flow Indices, 1205
Kariya, C. See Hasegawa, I., 1321
Karjalainen, M. See Paronen, M., 1273
Karl, M. See Agarwal, S., 1669
Kartalis, C. N.
—; Papaspyrides, C. D.; Pfaendner, R.; Hoffmann, K.; Herbst, H.: Mechanical Recycling of Postused High-Density Polyethylene Crates Using the Restabilization Technique. Part 1: Influence of Reprocessing, 1775
Kasai, N.
—; Sugimoto, I.: Effects of Aging on Radio-Frequency-Sputtered Polyethylene Film, 1869
Kasmuri, M. B. See Poh, B. T., 1165
Kaur, I.
—; Kumar, S.; Chauhan, G. S.; Misra, B. N.: Radiation-Induced Graft Copolymerization of 2-Vinylpyridine and Styrene onto Isotactic Polypropylene Fiber, 2959
Kawahara, Y.
—; Shioya, M.: Characterization of Microvoids in Mulberry and Tussah Silk Fibers Using Stannic Acid Treatment, 363
Kawamura, H. See Mizutani, Y., 1089
Kawano, M. See Suto, S., 1015
Ke, Y.-C. See Zhu, Z.-K., 2063
Kenny, J. M. See Jimenez, A., 1069
Kiatkamjornwong, S.
—; Siwarungson, N.; Nganbunsri, A.: In Situ Immobilization of Alkaline Protease During Inverse Suspension Polymerization of Polyacrylamide and Poly(acrylamide-*co*-methacrylic acid) Hydrogel Beads, 2273
Kikuchi, H. See Yang, H., 623
Kikuchi, M. See Sakiyama, T., 2227
Kikunaga, Y. See Kishida, A., 2545
Kil, S. B.
—; Park, O. O.; Yoon, K. H.: Effects of Chemical Reactions on the Properties of Polycarbonate/Liquid Crystalline Polymer Blends, 2123
Kim, B. K. See Ahn, S. J., 935; Tharanikkarasu, K., 2993
Kim, C. U.
—; Lee, J. M.; Ihm, S. K.: Emulsion Polymerization of Tetrafluoroethylene: Effects of Reaction Conditions on the Polymerization Rate and Polymer Molecular Weight, 777
Kim, H.-D.
—; Lee, T.-J.; Huh, J.-H.; Lee, D.-J.: Preparation and Properties of Segmented Thermoplastic Polyurethane Elastomers with Two Different Soft Segments, 345
Kim, H. J.
—; Brunovska, Z.; Ishida, H.: Dynamic Mechanical Analysis on Highly Thermally Stable Polybenzoxazines with an Acetylene Functional Group, 857
Kim, H. K. See Yeom, C. K., 601
Kim, I. C.
—; Park, K. W.; Tak, T. M.: Synthesis and Characterization of Soluble

Polyimides and Its Ultrafiltration Membrane Performances, 907
Kim, J. H. See Choi, H.-M., 2691
Kim, J. S.
—; Lee, J.-H.; Park, J.-H.; Han, Y.-H.: A Study on the Laser Curing of Acrylic Resin for the Application in Screen Printing, 515
Kim, J. Y.
—; Bae, Y. C.: Configurational Entropy Effect for Conductivities of Solid Polymer Electrolytes, 1891
—; See Kim, Y. D., 2377
Kim, K. J.
—; Hong, D. S.; Tripathy, A. R.; Kyu, T.: Toughening and Phase Separation Behavior of Nylon 6–PEG Block Copolymers and *In Situ* Nylon 6–PEG Blend Via *In Situ* Anionic Polymerization, 1285
Kim, K.-J. See Kim, S.-H., 2349
Kim, O.-J. See Choi, H.-K., 2749
Kim, S. C. See Kim, Y. D., 2377
Kim, S. D. See Victor, J. A., 1763
Kim, S.-H.
—; Chung, I.-D.; Ha, C.-S.; Kim, K.-J.; Cho, W.-J.: Preparations and Oil Absorptivities of Poly(stearyl methacrylate-*co*-cinnamoyloxyethyl methacrylate) and PET Nonwoven Fiber Photocrosslinked with It, 2349
Kim, S. J. See Lee, J. W., 113
Kim, S. S. See Lee, J. W., 113
Kim, S. Y.
—; Shin, H. S.; Lee, Y. M.; Jeong, C. N.: Properties of Electroresponsive Poly(vinyl alcohol)/Poly(acrylic acid) IPN Hydrogels Under an Electric Stimulus, 1675
—; See Cho, S. M., 2151; Lee, J. W., 113
Kim, Y. D.
—; Kim, J. Y.; Lee, H. K.; Kim, S. C.: Formation of Polyurethane Membranes by Immersion Precipitation. Part 1. Liquid–Liquid Phase Separation in a Polyurethane/DMF/Water System, 2377
Kinoshita, T. See Tsutsui, K., 2733
Kiparissides, C. See Pladis, P., 2327
Kishida, A.
—; Kikunaga, Y.; Akashi, M.: Synthesis and Functionality of Poly(*N*-vinylalkylamide)—X. A Novel Aqueous Two-Phase System Based on Thermosensitive Polymers and Dextran, 2545
Kitajima, M. See Asaoka, S., 741
Kitamura, Y. See Matsuyama, H., 961, 2715
Kitano, T. See Sun, H., 2135
Klason, C. See Christiani, C., 1859
Klein, A. See Victor, J. A., 1763
Kobayashi, A.
—; Matsuzaki, F.; Yanaki, T.; Morishima, Y.: Solubilization Properties of *N*-substituted Amphiphilic Acrylamide Copolymers, 2447
Koh, S.-K. See Choi, S.-C., 41
Koh, W. See Yang, L. F., 1501
Kolesov, S. V.
—; Kulish, E. I.; Zaikov, G. E.; Minsker, K. S.: Structural–Physical Effects at Thermal Degradation of PVC in Complex Polymer Objects, 85
Kong, X. Z.
—; Ruckenstein, E.: Core–Shell Latex Particles Consisting of Polysiloxane–Poly(styrene-methyl methacrylate-acrylic acid): Preparation and Pore Generation, 2235
Kostov, G. K. See Ameduri, B., 189
Koval, V. N. See Pesetskii, S. S., 1823
Koyama, K. See Sugimoto, M., 1493; Takahashi, T., 757
Kressler, J. See Mäder, D., 1685
Księżopolski, J. See Matynia, T., 1815
Kubo, M. See Morita, M., 1741
Kuila, D.
—; Blay, G. A.; Borjas, R. E.; Hughes, S.; Maddox, P.; Rice, K.; Stansbury, W.; Laurel, N.: Polyacrylic Acid (Poly-A) as a Chelant and Dispersant, 1097
Kulish, E. I. See Kolesov, S. V., 85
Kulkarni, A. R.
—; Soppimath, K. S.; Aminabhavi, T. M.; Dave, A. M.; Mehta, M. H.: Urea–Formaldehyde Crosslinked Starch and Guar Gum Matrices for Encapsulation of Natural Liquid Pesticide Azadirachta Indica A. Juss. (Neem) Seed Oil]: Swelling and Release Kinetics, 2437
Kulkarni, M. G. See Lele, B. S., 1845
Kulszewicz-Bajer, I. See Zagórska, M., 1423
Kumar, R. N.
—; Woo, C. K.; Abusamah, A.: UV Curing of Surface Coating System Consisting of Cycloaliphatic Diepoxide-ENR-Glycidyl Methacrylate by Cationic Photoinitiators—Characterization of the Cured Film by FTIR Spectroscopy, 1569
Kumar, S. See Kaur, I., 2959; Mehta, V. R., 305
Kurdi, J.
—; Tremblay, A. Y.: Preparation of Defect-Free Asymmetric Membranes for Gas Separations, 1471
Kuyulu, A. See Inan, T. Y., 2575
Kuzak, S. G.
—; Shanmugam, A.: Dynamic Mechanical Analysis of Fiber-Reinforced Phenolics, 649
Kwei, T. K. See Huang, P. T., 295
Kweon, D. K. See Kang, D. W., 469
Kweon, H. Y.
—; Park, Y. H.: Structural and Conformational Changes of Regenerated *Antheraea pernyi* Silk Fibroin Films Treated with Methanol Solution, 2887
Kwon, S.-K. See Lee, S. J., 1697
Kyritsis, A.
—; Pissis, P.; Grigorieva, O. P.; Sergeeva, L. M.; Brouko, A. A.; Zimich, O. N.; Privalko, E. G.; Shtompel, V. I.; Privalko, V. P.: Structure–Property Relationships in Thermoplastic-Apparent Interpenetrating Polymer Networks Based on Crystallizable Polyurethane

and Styrene–Acrylic Acid Copolymer, 385
Kyu, T. See Kim, K. J., 1285

Laguna, O. See García-Martínez, J. M., 2837
Lahjomri, F. See Achour, M. E., 969
Lai, Y. H. See Li, X., 2771
La Mantia, F. P. See Minkova, L. I., 2069
Laoubi, S. See Perou, A. L., 1939
Launay, A.
—; Thominette, F.; Verdu, J.: Water Sorption in Amorphous Poly(ethylene terephthalate), 1131
Laurel, N. See Kuila, D., 1097
Laurent, J.-L. See Hollande, S., 2525
Lee, A.
—; Lichtenhan, J. D.: Thermal and Viscoelastic Property of Epoxy–Clay and Hybrid Inorganic–Organic Epoxy Nanocomposites, 1993
Lee, C.-B. See Wu, T.-M., 2169
Lee, C.-H.
—; Lee, S.-K.; Kang, S.-W.; Yun, S.-H.; Choe, S.: Impact Strength in ABS–PPO Blends Compatibilized with Styrene–Acrylonitrile–Glycidil Methacrylate Terpolymers, 841
Lee, C. R. See Lin, C. W., 2079
Lee, D.-J. See Kim, H.-D., 345
Lee, D. W. See Son, T. W., 227, 1049
Lee, E. W. See Son, T. W., 1049
Lee, H. K. See Kim, Y. D., 2377
Lee, J.-H. See Kim, J. S., 515
Lee, J. L. See Huang, P. T., 295
Lee, J. M. See Kim, C. U., 777
Lee, J. W.
—; Kim, S. Y.; Kim, S. S.; Lee, Y. M.; Lee, K. H.; Kim, S. J.: Synthesis and Characteristics of Interpenetrating Polymer Network Hydrogel Composed of Chitosan and Poly(acrylic acid), 113
Lee, K. H. See Ahn, S. J., 935; Lee, J. W., 113
Lee, M.-C. See Wang, C.-S., 1611
Lee, S. See Bang, Y. H., 2681; Yu, J., 1191
Lee, S. C. See Chang, Y. K., 1851
Lee, S. J.
—; Kwon, S.-K.; Cho, W.-J.; Ha, C.-S.: Properties and Radiation Resistance of Aromatic Polymer-Based Polyblends, 1697
Lee, S.-K. See Lee, C.-H., 841
Lee, S. W. See Youk, J. H., 801
Lee, T.-J. See Kim, H.-D., 345
Lee, W.-F.
—; Shieh, C.-H.: pH–Thermoreversible Hydrogels. II. Synthesis and Swelling Behaviors of N-Isopropylacrylamide-*co*-acrylic acid-*co*-sodium acrylate Hydrogels, 1955
Lee, Y.-D. See Tsai, R.-S., 1441
Lee, Y. M. See Cho, S. M., 2151; Kim, S. Y., 1675; Lee, J. W., 113
Lehtinen, T. See Paronen, M., 1273
Lei, Y.-H. See Wang, Y.-P., 953
Lele, B. S.
—; Gore, M. A.; Kulkarni, M. G.: Friedel–Craft *N*-Alkylation and *N*-Acylation of Acrylamide: A Novel Approach for Synthesis of Alkylacrylamides, 1845
Leterrier, Y.
—; Wyser, Y.; Månson, J.-A. E.: Durability in the Life Cycle of Polymer Composites, 1427
Leu, T.-S. See Wang, C.-S., 833
Levon, K. See Cai, C., 1197; Liu, L.-M., 2849
Li, B. See Yu, J., 1191
Li, B.-G. See Yao, Z., 615
Li, G. F. See Xu, W. J., 2385
Li, J. See Huang, H., 315
Li, R. K. Y. See Liang, J.-Z., 1451
Li, S.-D. See Zhong, J.-P., 2863
Li, W. See Chen, X., 975
Li, X.
—; Goh, S. H.; Lai, Y. H.; Deng, S.-M.: Synthesis and Hydrolysis of β-Cyanoethyl Ether of Poly(vinyl alcohol), 2771
—; See Deng, X., 1401; Yuan, M., 2857
Li, X.-G.
Structure of Liquid Crystalline Copolyesters from Two Acetoxybenzoic Acids and Polyethylene Terephthalate, 2921
—; Huang, M.-R.: High-Resolution Thermogravimetry of Liquid Crystalline Copoly(*p*-Oxybenzoate–ethylene terephthalate–*m*-oxybenzoate), 2911
—; Huang, M.-R.; Bai, H.: Thermal Decomposition of Cellulose Ethers, 2927
Li, Y.
—; Shen, S.; Liu, Y.; Gao, J.: Kinetics of 4,4′-Diaminodiphenylmethane Curing of Bisphenol-S Epoxy Resin, 1799
—; See Yang, C., 2535
Liang, G.
—; Fan, J.: Novel Modified Bismaleimide Resins with Improved Ablativity, 1623
Liang, J.-Z.
—; Li, R. K. Y.: Rheological Properties of Glass Bead-Filled Low-Density Polyethylene Composite Melts in Capillary Extrusion, 1451
Liao, S. See Zhang, B., 1787
Liaw, B.-Y. See Liaw, D.-J., 279
Liaw, D.-J.
—; Liu, D. C.-H.; Liaw, B.-Y.; Ho, T.-I.: Synthesis and Characterization of Novel Polyaspartimides Derived from 2,2′-Dimethyl-4,4′-bis(4-maleimidophenoxy)biphenyl and Various Diamines, 279
Lichtenhan, J. D. See Lee, A., 1993
Lien, A. See Cai, C., 1197
Limón-González, M. See Volke-Sepúlveda, T., 1435
Lim, S. K. See Son, T. W., 227, 1049
Lim, S. L. See Cizravi, J. C., 1633
Lin, C. W.
—; Hwang, B. J.; Lee, C. R.: Characteristics and Sensing Behavior of Electrochemically Codeposited Polypyrrole–Poly(vinyl alcohol) Thin Film Exposed to Ethanol Vapors, 2079
Lin, G.-C. See Wang, H.-H., 2671
Lin, J. R.
—; Chen, L. W.: Shape-Memorized Crosslinked Ester-Type Polyurethane and Its

Mechanical Viscoelastic Model, 1305
Lin, R.-H.
—; Su, A.-C.; Hong, J.-L.: Effect of Intramolecular Cycles on the Polycyclotrimerization of Aromatic Dicyanates, 1927
Liou, G.-S. See Yang, C.-P., 271
Liu, D. C.-H. See Liaw, D.-J., 279
Liu, L.-M.
—; Levon, K.: Undoped Polyaniline–Surfactant Complex for Corrosion Prevention, 2849
Liu, R.
—; Zhang, Q.; Cross, L. E.: Experimental Investigation of Electrostrictive Polarization Biased Direct Apparent Piezoelectric Properties in Polyurethane Elastomer Under Quasistatic Conditions, 2603
Liu, T.
—; Wang, S.; Mo, Z.; Zhang, H.: Crystal Structure and Drawing-Induced Polymorphism in Poly(aryl ether ether ketone), 237
Liu, W. See Yu, L., 161
Liu, W.-M. See Zhang, Z.-Z., 2611
Liu, X.
—; Wang, H.; Chen, D.; Wang, Y.; Lu, L.; Wang, X.: Study of Nanocrystalline TiO_2 Prepared with Raw and Modified Gelatin Dispersants, 2569
Liu, Y.
—; Pan, C.; Ding, M.; Xu, J.: Gas Permeability and Permselectivity of Photochemically Crosslinked Copolyimides, 521
—; Xiao, Y.; Sun, X.; Scola, D. A.: Microwave Irradiation of Nadic-End-Capped Polyimide Resin (RP-46) and Glass–Graphite–RP-46 Composites: Cure and Process Studies, 2391
Liu, Y. See Li, Y., 1799
Lo, Y.-W. See Chen, C.-H., 2755
Logan, J. A. See Marks, M. J., 663
Logothetis, A. L. See Forsythe, J. S., 169, 807
Lopez, J. See Jimenez, A., 1069
Lora, M.
—; Rindfleisch, F.; McHugh, M. A.: Influence of the Alkyl Tail on the Solubility of Poly(alkyl acrylates) in Ethylene and CO_2 at High Pressures: Experiments and Modeling, 1979
Lowe, T. L.
—; Tenhu, H.; Tylli, H.: Effect of Hydrophobicity of a Drug on Its Release from Hydrogels with Different Topological Structures, 1031
Lu, L. See Liu, X., 2569
Lu, Y. See Tang, S., 47
Lucas, E. F. See Moreira, L. F. B., 29
Luo, G. S.
—; Xia, F.; Dai, Y. Y.: Effect of Swelling on Mass Transfer Performance in Membrane Extraction, 1555
Luo, S.
—; Netravali, A. N.: Effect of ^{60}Co γ-Radiation on the Properties of Poly(hydroxybutyrate-*co*-hydroxyvalerate), 1059
Luprano, V. A. M. See Maffezzoli, A., 1969

Ma, C.-C. M. See Shih, W.-C., 2369, 2739; Wang, F.-Y., 881
Maddox, P. See Kuila, D., 1097
Mäder, D.
—; Kressler, J.; Mülhaupt, R.: Impact-Modified Poly(styrene-*co*-acrylonitrile) Blends Containing Both Oxazoline-Functionalized Poly(ethene-*co*-1-octene) Elastomers and Poly(styrene-*co*-maleic anhydride) as Compatibilizer, 1685
Maffezzoli, A.
—; Quarta, E.; Luprano, V. A. M.; Montagna, G.; Nicolais, L.: Cure Monitoring of Epoxy Matrices for Composites by Ultrasonic Wave Propagation, 1969
Magagnini, P. See Minkova, L. I., 2069
Mah, S. I. See Sun, H., 2135
Maiti, S. See De, D., 2951
Maji, T. K.
—; Banerjee, A. N.: Photograft Copolymerization of Methyl Methacrylate on Silk Fiber Using Titanium(III) Chloride–Potassium Persulphate Redox Initiator in a Limited Aqueous System. I., 2187
Majumdar, N.
—; Gupta, S. K.: Study of Parametric Sensitivity in an Autothermal Nylon 6 Reactor, 333
Malinauskas, A.
—; Holze, R.: *In Situ* UV–Vis Spectroelectrochemical Study of Polyaniline Degradation, 287
Mallu, P. See Siddaramaiah, 2051
Mancusi, C. See Pucciariello, R., 919
Mankar, R. B.
—; Gupta, S. K.; Saraf, D. N.: Software Sensor for the Bulk Polymerization of Systems Exhibiting the Trommsdorff Effect Using Viscosity Measurements, 2309
Månson, J.-A. E. See Leterrier, Y., 1427
Manzur-Guzmán, A. See Volke-Sepúlveda, T., 1435
Marks, M. J.
—; Logan, J. A.; Guilbeaux, B. R.; Scott, D. C.: Synthesis, Crosslinking, and Abrasion and Weathering Properties of (Meth)Acrylate-Terminated Bisphenol A Polycarbonates, 663
Martinez, A. B. See Maspoch, M. L., 177
Mascia, L. See Frigione, M., 1457
Maspoch, M. L.
—; Ferrer, D.; Gordillo, A.; Santana, O. O.; Martinez, A. B.: Effect of the Specimen Dimensions and the Test Speed on the Fracture Toughness of iPP by the Essential Work of Fracture (EWF) Method, 177
Massa, W. See Agarwal, S., 1669
Massey, F. L. See Pawlak, A., 203
Masubuchi, Y. See Sugimoto, M., 1493
Mateva, R.
—; Sirashki, G.: On the Structure of Trioxane Copolymers with Some Glycidylethers, 2813
Matsuba, Y. See Matsuyama, H., 961
Matsuura, T. See Pham, V. A., 1363

Matsuyama, H.
—; Kitamura, Y.; Doi, Y.; Ohtsuka, S.; Matsuba, Y.; Okihara, T.: Facilitated Transport of Ethyl Docosahexaenoate Through Solution-Cast Perfluorosulfonated Ionomer Membranes, 961
—; Shiraishi, H.; Kitamura, Y.: Effect of Membrane Preparation Conditions on Solute Permeability in Chitosan Membrane, 2715
Matsuzaki, F. See Kobayashi, A., 2447
Maturana, H. A. See Rivas, B. L., 369
Matynia, T.
—; Księżopolski, J.: Synthesis of Unsaturated Epoxyfumarate and Epoxymaleate Resins, 1815
McCaffrey, W. C.
—; Cooper, D. G.; Kamal, M. R.: The Effect of Short-Chain Branching on the Thermolysis/Reactive Distillation of Polyethylene, 1415
McCarthy, S. J. See Adhikari, R., 573
McCormick, A. V. See Payne, J. A., 553
McGill, W. J. See Nieuwenhuizen, P. J., 1247
McHugh, M. A. See Lora, M., 1979
McLeod, M. A.
—; Baird, D. G.: Modification of the Processing Window of a Thermotropic Liquid Crystalline Polymer by Blending with Another Thermotropic Liquid Crystalline Polymer, 2209
Medintseva, T. I. See Baranov, A. O., 1563
Mehta, M. H. See Kulkarni, A. R., 2437
Mehta, V. R.
—; Kumar, S.: Structure, Morphology, and Properties of PBZT and Methyl Pendant PBZT Fibers, 305
Meijs, G. F. See Adhikari, R., 573
Meirim, M. G.
—; Neuse, E. W.; Caldwell, G.: Aliphatic Polyamides Prepared by Ester-Amine Polycondensation as Potential Drug Carrier Polymers, 2143
Meiwu, S. See Yuhai, G., 1161
Mekhamer, W. K.
—; Assaad, F. F.: Flocculation and Coagulation of Ca- and K-Saturated Montmorillonite in the Presence of Polyethylene Oxide, 659
Menon, A. R. R.
—; Pillai, C. K. S.; Nando, G. B.: Cure Characteristics and Physicomechanical Properties of Natural Rubber Modified with Phosphorylated Cashew Nutshell Liquid Prepolymer—A Comparison with Aromatic Oil, 813
Mi, Y. See Zheng, S., 1181
Miane, J. L. See Achour, M. E., 969
Michielsen, S.
The Effect of Grafted Polymeric Lubricant Molecular Weight on the Frictional Characteristics of Nylon 6,6 Fibers, 129
—; See Natarajan, S., 943
Miguel, O.
—; Iruin, J. J.: Water Transport Properties in Poly(3-hydroxybutyrate) and Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) Biopolymers, 455
Minkova, L. I.
—; Velcheva, M.; Paci, M.; Magagnini, P.; La Mantia, F. P.; Sek, D.: Morphology and Rheology of HDPE/LCP Blends Compatibilized by a Novel PE-*g*-LCP Copolymer, 2069
Minsker, K. S. See Kolesov, S. V., 85
Mishima, S.
—; Nakagawa, T.: Plasma-Grafting of Fluoroalkyl Methacrylate onto PDMS Membranes and Their VOC Separation Properties for Pervaporation, 1835
Mishra, S.
—; Panda, A.; Singh, B. C.: Characterization of Poly(Vinyl Alcohol) Grafted with Acrylic Acid and Methylmethacrylate Using a Ce(IV) Glucose Redox System, 677
Misra, B. N. See Kaur, I., 2959
Misra, R. A. See Singh, D., 91
Mizutani, Y.
—; Nago, S.: Microporous Polypropylene Fibers Containing Fine Particles of Poly(glycidylmethacrylate-*co*-divinylbenzene), 1549
—; Nago, S.; Kawamura, H.: Microporous Polypropylene Films and Fibers Containing Finely Dispersed Vinyl Polymers with Crosslinkage (Note), 1089
Mo, X.
—; Sun, X. S.; Wang, Y.: Effects of Molding Temperature and Pressure on Properties of Soy Protein Polymers, 2595
Mo, Z. See Liu, T., 237
Modibbo, U. See Eromosele, I. C., 2057
Mohammadi-Rovshandeh, J. See Farnia, S. M. F., 633
Montagna, G. See Maffezzoli, A., 1969
Montané, D. See Anglès, M. N., 2485
Morales, E.
—; Villarreal, I.; Acosta, J. L.: Morphological Characterization of γ-$LiAlO_2$-Filled Composite Polymer Electrolytes Containing $LiPF_6$, 1023
Morales, J. See Cárdenas T., G., 1239
Morcellet, M. See Crini, G., 2903; Delacour, M.-L., 899
Moreira, L. F. B.
—; Lucas, E. F.; González, G.: Stabilization of Asphaltenes by Phenolic Compounds Extracted from Cashew-Nut Shell Liquid, 29
Morgan, A. B.
—; Tour, J. M.: Synthesis and Testing of Nonhalogenated Alkyne/Phosphorus-Containing Polymer Additives: Potent Condensed-Phase Flame Retardants, 707
Morin, N. See Crini, G., 2903
Morishima, Y. See Kobayashi, A., 2447
Morita, M.
—; Ogisu, H.; Kubo, M.: Surface Properties of Perfluoroalkylethyl Acrylate/*n*-

Alkyl Acrylate Copolymers, 1741
Moura Ramos, J. J. See Correia, N. T., 1921
Moustafa, A. B.
—; Faizalla, A.: Preparation and Characterization of Porous Poly(methacrylic acid) Gel by Dispersion Polymerization, 1793
—; Faizalla, A.: Synthesis and Characterization of Highly Porous Poly(methacrylic-co-triethylene glycol dimethacrylate) by Suspension Polymerization, 149
Mouzakis, D. E. See Karger-Kocsis, J., 1205
Mouzali, M. See Heba-Laref, F., 2089
Mukherjee, M.
—; Chatterjee, S. K.; Brar, A. S.: One- and Two-Dimensional Nuclear Magnetic Resonance Studies on the Compositional Sequence and the Microstructure of Acrylamide/Acrylonitrile Copolymers, 55
Mülhaupt, R. See Mäder, D., 1685

Naginlal, C. See Cizravi, J. C., 1633
Nago, S. See Mizutani, Y., 1089, 1549
Nah, C. See Chang, Y.-W., 749
Nai, S. See Daitao C., 1357
Naik, H. G. See Siddaramaiah, 2051
Nair, P. D. See George, S., 1949
Nakabayashi, N. See Furuzono, T., 2541
Nakagawa, T. See Mishima, S., 1835
Nakanishi, K. See Sakiyama, T., 2227
Nando, G. B. See Menon, A. R. R., 813
Narbaita, R. M. See Pham, V. A., 1363
Narkis, M. See Breuer, O., 1655
Nasef, M. M.
—; Saidi, H.; Nor, H. M.; Dahlan, K. Z. M.; Hashim, K.: Cation Exchange Membranes by Radiation-Induced Graft Copolymerization of Styrene onto PFA Copolymer Films. I. Preparation and Characterization of the Graft Copolymer, 2095
Natarajan, S.
—; Michielsen, S.: Determination of Density and Birefringence of Poly(Ethylene Terephthalate) Fibers Using Raman Microscopy, 943
Nazábal, J. See Guerrica-Echevarría, G., 1805
Nazarenko, S.
—; Dennison, M.; Schuman, T.; Stepanov, E. V.; Hiltner, A.; Baer, E.: Creating Layers of Concentrated Inorganic Particles by Interdiffusion of Polyethylenes in Microlayers, 2877
Neibl, W. See Gahleitner, M., 2507
Netravali, A. N. See Luo, S., 1059
Neuse, E. W. See Meirim, M. G., 2143
Nganbunsri, A. See Kiatkamjornwong, S., 2273
Nicolais, L. See Iannance, S., 583; Maffezzoli, A., 1969
Nieuwenhuizen, P. J.
—; van Duin, M.; Haasnoot, J. G.; Reedijk, J.; McGill, W. J.: The Limiting Value of ZDMC Formation: New Insight into the Reaction of ZnO and TMTD, 1247
Ninan, K. N. See Rao, V. L., 2113
Niu, A. See Xu, X., 2621
Nizioł, J. See Zagórska, M., 1423
Njaprim, K. G. See Eromosele, I. C., 2057
Nocilla, G. See Iannance, S., 583
Nor, H. M. See Nasef, M. M., 2095
Norimoto, M. See Obataya, E., 1727
Noureddini, H. See Tadros, R. M., 869
Nunes, R. See Cai, C., 1197

Obataya, E.
—; Umemura, K.; Norimoto, M.; Ohno, Y.: Viscoelastic Properties of Japanese Lacquer Film, 1727
O'Dell, J. L. See Ellis, W. D., 2493
Ogisu, H. See Morita, M., 1741
Ohno, Y. See Obataya, E., 1727
Ohtsuka, S. See Matsuyama, H., 961
Okada, M. See Takasu, A., 1171
Okihara, T. See Matsuyama, H., 961
Onadera, A. See Inagaki, N., 1645
Ostrovskii, D. See Paronen, M., 1273
Ou, C. F.
—; Chao, M. S.; Huang, S. L.: Study on the Kinetics of Transesterification Reaction Between Poly(ethylene terephthalate) and its Copolyesters, 2727
Ou, Y.-C.
—; Si, M.-Y.; Yu, Z.-Z.: Nonisothermal Crystallization Kinetics of *In Situ* Polyamide-6 Blended with Poly(phenylene oxide), 767
Özarslan, Ö. See Inan, T. Y., 2575

Pacheco, C. R. See de Souza, C. M. G., 221
Paci, M. See Minkova, L. I., 2069
Pan, C. See Liu, Y., 521
Pan, P. See Zhou, X., 1913
Pan, Y. V.
—; Denton, D. D.: Plasma Dissociation Reaction Kinetics. I. Methyl Methacrylate, 1
—; Denton, D. D.: Plasma Dissociation Reaction Kinetics. II. Precursors Related to Methyl Methacrylate: Methyl Crotonate, Methyl Isobutyrate, Ethyl Methacrylate, and Vinyl Acetate, 17
Pan, Z.-R. See Du, M., 2649; Shan, G.-R., 2635, 2641; Yao, Z., 615
Panda, A. See Mishra, S., 677
Papaspyrides, C. D. See Kartalis, C. N., 1775
Park, J. B. See Bang, Y. H., 2681
Park, J.-G. See Choi, S.-C., 41
Park, J.-H. See Kim, J. S., 515
Park, J. H. See Son, T. W., 227
Park, K. W. See Kim, I. C., 907
Park, O. O. See Kil, S. B., 2123
Park, Y. H. See Kweon, H. Y., 2887
Paronen, M.
—; Karjalainen, M.; Jokela, K.; Ostrovskii, D.; Sundholm, F.; Lehtinen, T.; Sundholm, G.; Torell, L.: Structure of Sulfonated Poly(Vinyl Fluoride), 1273

Pascault, J. P. See Kaddami, H., 2701
Pawlak, A.
—; Perkins, W. G.; Massey, F. L.; Hiltner, A.; Baer, E.: Mechanical Properties of Poly(ethylene terephthalate) Modified with Functionalized Polymers, 203
Payne, J. A.
—; McCormick, A. V.; Francis, L. F.: A Study of Stress Development in Aqueous Gelatin Coatings, 553
Pearce, E. M. See Huang, P. T., 295
Pedosenko, A. V. See Walter, R., 1267
Peng, Z. See Zhong, J.-P., 2863
Perera, R. See Rosales, C., 2549
Perkins, W. G. See Pawlak, A., 203
Perou, A. L.
—; Laoubi, S.; Vergnaud, J. M.: Model for Transfer of Contaminant during the Coextrusion of Three-Layer Food Package with a Recycled Polymer. Effect on the Time of Protection of the Food of the Relative Thicknesses of the Layers, 1939
Persson, S. See Bellander, M., 2799
Pesetskii, S. S.
—; Jurkowski, B.; Storozcuk, I. P.; Koval, V. N.: Blends of Polycarbonate and Polysulphone–Polydimethyl–Siloxane Block Copolymers: Analysis of Compatibility and Impact Strength, 1823
Petrova, P. See Ameduri, B., 189
Pezzin, G. See Righetti, M. C., 377
Pfaendner, R. See Kartalis, C. N., 1775
Pham, V. A.
—; Santerre, J. P.; Matsuura, T.; Narbaita, R. M.: Application of Surface Modifying Macromolecules in Polyethersulfone Membranes: Influence on PES Surface Chemistry and Physical Properties, 1363
Pike, R. T. See Wong, C. P., 997
Pillai, C. K. S. See Menon, A. R. R., 813
Pissis, P. See Kyritsis, A., 385
Pladis, P.
—; Kiparissides, C.: Dynamic Modeling of Multizone, Multifeed High-Pressure LDPE Autoclaves, 2327
Plessier, C. See Gupta, B., 2293
Poh, B. T.
—; Kasmuri, M. B.: Effect of Stearic Acid Concentration on the Reversion Behavior of Epoxidized Natural Rubber, 1165
Pomery, P. J. See Forsythe, J. S., 169
Pong, S.-H. See Chiu, S.-H., 2183
Prasad, B. M. See Singh, D., 91
Přikryl, J. See Akrman, J., 719
Privalko, E. G. See Kyritsis, A., 385; Privalko, V. P., 1041; Walter, R., 1267
Privalko, V. P.
—; Sukhorukov, D. I.; Privalko, E. G.; Walter, R.; Friedrich, K.; Balta Calleja, F. J.: Composition-Dependent Properties of Polyethylene/Kaolin Composites. III. Thermoelastic Behavior of Injection-Molded Samples, 1041
—; See Kyritsis, A., 385; Walter, R., 1267
Proń, A. See Zagórska, M., 1423
Prut, E. V. See Baranov, A. O., 1563
Pucciariello, R.
—; Mancusi, C.: Extreme Thermal Behaviors of Polytetrafluoroethylene and Random Tetrafluoroethylene Fluorinated Copolymers, 919

Qi, Z.-N. See Zhu, Z.-K., 2063, 2977
Qingbing, Z.
Synthesis of Poly(borazinylamine), 863
Qinhu, T. See Guoxi, X., 1139
Qiu, K. Y. See Zhou, W., 419
Quarta, E. See Maffezzoli, A., 1969

Radhakrishnan, T. S.
New Method for Evaluation of Kinetic Parameters and Mechanism of Degradation from Pyrolysis–GC Studies: Thermal Degradation of Polydimethylsiloxanes, 441
Ramaswamy, R. See Gouri, C., 695
Rao, M. R. See Rao, V. L., 2113
Rao, V. L.
—; Sabeena, P. U.; Rao, M. R.; Ninan, K. N.: Synthesis and Characterization of Poly(ether sulfone) and Poly(ether sulfone ketone) Copolymers, 2113
Ratajski, E. See Gahleitner, M., 2507
Ray, S. S.
—; Biswas, M.: Preparation and Evaluation of Composites from Montmorillonite and Some Heterocyclic Polymers. II. A Nanocomposite from *N*-Vinylcarbazole and Ferric Chloride-Impregnated Montmorillonite Polymerization System, 2971
Reddy, B. S. R. See Thamizharasi, S., 1153
Ree, M. See Yu, J., 1191
Reed, W. F. See Strelitzki, R., 2359
Reedijk, J. See Nieuwenhuizen, P. J., 1247
Reghunadhan Nair, C. P. See Gouri, C., 695
Reguant, J. See Anglès, M. N., 2485
Reis, R. L. See Kalay, G., 2473
Rhee, K. B. See Sun, H., 2135
Rhim, J. W. See Yeom, C. K., 601
Rice, K. See Kuila, D., 1097
Righetti, M. C.
—; Ajroldi, G.; Vitali, M.; Pezzin, G.: Influence of Solvent and Filler on Some Physical Properties of a Fluoroelastomer, 377
Rindfleisch, F. See Lora, M., 1979
Rivas, B. L.
—; Maturana, H. A.; Hauser, P.: Adsorption Behavior and Separation of Vanadium(V), Molybdenum(VI), and Rhenium(VII) Ions on Crosslinked Polymers Containing Acrylic Acid Derivative Moieties, 369

Rodríguez-Pérez, M. A.
—; Almanza, O.; de Saja, J. A.: Anomalous Thickness Increase in Crosslinked Closed Cell Polyolefin Foams during Heat Treatments, 2825
Rohaczek, G. See Gahleitner, M., 2507
Rojas, H. See Rosales, C., 2549
Root, A. See Hietalahti, K., 563
Rosales, C.
—; Perera, R.; Gonzalez, J.; Ichazo, M.; Rojas, H.; Sánchez, A.: Grafting of Polyethylenes by Reactive Extrusion. II. Influence on Rheological and Thermal Properties, 2549
Rose, L. J. See Beer, F., 2807
Rousseau, A. See Ameduri, B., 189
Rousselot, D. See Gueugnaut, D., 2103
Rubio, L. See Cardoso, J., 1409
Ruckenstein, E. See Kong, X. Z., 2235
Ruckert, D.
—; Cazaux, F.; Coqueret, X.: Electron-Beam Processing of Destructurized Allylurea–Starch Blends: Immobilization of Plasticizer by Grafting, 409
Rui, L. See Guoxi, X., 1139
Ryu, S. H. See Yu, J. J., 1733

Saad, A. L. G.
—; Sayed, W. M.; Ahmed, M. G. M.; Hassan, A. M.: Preparation and Properties of Some Filled Poly(vinyl chloride) Compositions, 2657
Sabeena, P. U. See Rao, V. L., 2113
Saidi, H. See Nasef, M. M., 2095
Sailer, R. A.
—; Soucek, M. D.: Viscoelastic Properties of Alkyd Ceramers, 2017
Sakiyama, T.
—; Takata, H.; Kikuchi, M.; Nakanishi, K.: Polyelectrolyte Complex Gel with High pH-Sensitivity Prepared from Dextran Sulfate and Chitosan, 2227
Sakurai, T. See Asaoka, S., 741
Salgado C., E. See Cárdenas T., G., 1239
Salvadó, J. See Anglès, M. N., 2485
Sánchez, A. See Rosales, C., 2549
Santana, O. O. See Maspoch, M. L., 177
Santerre, J. P. See Pham, V. A., 1363
Saraf, D. N. See Mankar, R. B., 2309
Sarbolouki, M. N. See Farnia, S. M. F., 633
Sayed, W. M. See Saad, A. L. G., 2657
Schmack, G.
—; Tändler, B.; Vogel, R.; Beyreuther, R.; Jacobsen, S.; Fritz, H.-G.: Biodegradable Fibers of Poly(L-lactide) Produced by High-Speed Melt Spinning and Spin Drawing, 2785
Schuman, T. See Nazarenko, S., 2877
Scola, D. A. See Liu, Y., 2391
Scott, D. C. See Marks, M. J., 663
Seferis, J. C. See Shafizadeh, J. E., 505
Sek, D. See Minkova, L. I., 2069
Sergeeva, L. M. See Kyritsis, A., 385
Seybert, G. See Agarwal, S., 1669
Shafizadeh, J. E.
—; Guionnet, S.; Tillman, M. S.; Seferis, J. C.: Synthesis and Characterization of Phenolic Resole Resins for Composite Applications, 505
Shan, G.-R.
—; Weng, Z.-X.; Huang, Z.-M.; Pan, Z.-R.: Mutual Solubility and Bulk Copolymerization of Vinyl Monomers with N-Substituted Maleimide, 2641
—; Weng, Z.-X.; Huang, Z.-M.; Pan, Z.-R.: Novel Generalized Rate Equation for Free Radical Copolymerization, 2635
—; See Du, M., 2649
Shanmugam, A. See Kuzak, S. G., 649
Shao, Z. See Chen, X., 975; Sun, Y., 2255
Shen, S. See Li, Y., 1799
Shen, W.-C. See Zhang, Z.-Z., 2611
Shep, Z.-Q. See Wang, X.-P., 1145
Shi, K. See Zhang, B., 1787
Shi, S. H.
—; Wong, C. P.: Effects of the Complexed Moisture in Metal Acetylacetonate on the Properties of the No-Flow Underfill Materials, 103
Shibata, H. See Torikai, A., 1259
Shieh, C.-H. See Lee, W.-F., 1955
Shieh, J.-Y. See Wang, C.-S., 353
Shih, H.-H.
—; Wong, C.-M.; Wang, Y.-C.; Huang, C.-J.; Wu, C.-C.: Hot Tack of Metallocene Catalyzed Polyethylene and Low-Density Polyethylene Blend, 1769
Shih, W.-C.
—; Ma, C.-C. M.: Synthesis and Characterization of Phenoxy Resins Prepared from Diglycidyl Ether of Bisphenol A and Various Aromatic Dihydroxyl Monomers, 2369
—; Ma, C.-C. M.; Yang, J.-C.; Chen, H.-D.: Polydimethylsiloxane Containing Isocyanate Group-Modified Epoxy Resin: Curing, Characterization, and Properties, 2739
Shin, H. S. See Kim, S. Y., 1675
Shin, Y.-S. See Chang, Y.-W., 749
Shioya, M. See Kawahara, Y., 363
Shiraishi, H. See Matsuyama, H., 2715
Shishoo, R. See Christiani, C., 1859
Shogren, R. L.
Preparation and Characterization of a Biodegradable Mulch: Paper Coated with Polymerized Vegetable Oils, 2159
Shtompel, V. I. See Kyritsis, A., 385
Shyr, T.-W. See Wang, H.-H., 2219
Si, M.-Y. See Ou, Y.-C., 767
Siddaramaiah
—; Mallu, P.; Naik, H. G.; Aminabhavi, T. M.: A Computer Simulation Method to Calculate Concentration Profiles in Polymeric Membranes (Note), 2051
—; Suresh, S. V.; Atul, V. B.; Srinivas, D.; Girish, S.: Effect of Aggressive Environments on Composite Properties, 795
Siegmann, A. See Breuer, O., 1655

Silva, J. L. G. See Dutra, R. C. L., 69
Singh, B. C. See Mishra, S., 677
Singh, D.
—; Dubey, S.; Prasad, B. M.; Misra, R. A.: Electrochemical Synthesis and Properties of Poly(3-methylthiophene): Novel Synthesis of Poly(3-methylthiophene) with Pentachlorostannate and Hexachloroantimonate, 91
Sirashki, G. See Mateva, R., 2813
Siwarungson, N. See Kiatkamjornwong, S., 2273
Skrifvars, M. See Hietalahti, K., 563
Ślusarczyk, C. See Broda, J., 477
Smith, M. E.
—; Ishida, H.: Critical Gel Phenomena in the Rheology of Epoxide Network Formation, 593
Soares, B. G. See Dutra, R. C. L., 69
Son, T. W.
—; Lee, D. W.; Park, J. H.; Lim, S. K.: Poly(ethylene-*co*-vinyl acetate) Blends with Phenoxy, 227
—; Lim, S. K.; Lee, D. W.; Lee, E. W.: Physical Modification of Polypropylene. III. Novel Morphology of Polypropylene and Poly(Ethylene-*co*-Vinyl Alcohol) with Epoxy Blend Fibers, 1049
Soppimath, K. S. See Kulkarni, A. R., 2437
Soto Z., H. See Cárdenas T., G., 1239
Soucek, M. D. See Sailer, R. A., 2017
Sousa, R. A. See Kalay, G., 2473
Sperling, L. H. See Victor, J. A., 1763
Srinivas, D. See Siddaramaiah, 795
Srinivas, G. See Thamizharasi, S., 1153
Stansbury, W. See Kuila, D., 1097
St. Clair, T. L. See Dorsey, K. D., 1215
Stenberg, B. See Bellander, M., 2799
Stepanov, E. V. See Nazarenko, S., 2877
Storozcuk, I. P. See Pesetskii, S. S., 1823
Strelitzki, R.
—; Reed, W. F.: Automated Batch Characterization of Polymer Solutions by Static Light Scattering and Viscometry, 2359
Su, A.-C. See Lin, R.-H., 1927
Su, Z.
Interfacial Reaction of Stannic Oxide in Silicone Rubber at 300°C, 2779
Sugimoto, I. See Kasai, N., 1869
Sugimoto, M.
—; Tanaka, T.; Masubuchi, Y.; Takimoto, J.-I.; Koyama, K.: Effect of Chain Structure on the Melt Rheology of Modified Polypropylene, 1493
Sukhorukov, D. I. See Privalko, V. P., 1041
Sulochana, N. See Thamizharasi, S., 1153
Sun, H.
—; Rhee, K. B.; Kitano, T.; Mah, S. I.: High-Density Polyethylene (HDPE) Hollow Fiber Membrane via Thermally Induced Phase Separation. I. Phase Separation Behaviors of the HDPE–Liquid Paraffin (LP) Blends and Its Influence on the Morphology of the Membrane, 2135
Sun, X. See Liu, Y., 2391
Sun, X. S. See Mo, X., 2595
Sun, Y.
—; Shao, Z.; Zhou, J.; Yu, T.: Compatibilization of Acrylic Polymer–Silk Fibroin Blend Fibers: 2. Morphology and Mechanical Properties of the Compatibilized Blend Fibers, 2255
Sundholm, F. See Hietalahti, K., 563
Sundholm, F. See Paronen, M., 1273
Sundholm, G. See Paronen, M., 1273
Sung, Y. K. See Cho, S. M., 2151
Suresh, S. V. See Siddaramaiah, 795
Suto, S.
—; Kawano, M.: Swelling Behavior of Crosslinked Hydroxypropyl Cellulose Films Retaining Cholesteric Liquid Crystalline Order I. Effect of Temperature, 1015

Tadros, R. M.
—; Noureddini, H.; Timm, D. C.: *Z*-Protected Glutamic Acid-Based Biodegradable Thermoplastic and Thermosetting Polyesters: Synthesis and Characterization, 869
Taib, R. See Glasser, W. G., 1329
Tak, T. M. See Kim, I. C., 907
Takahashi, T.
—; Takimoto, J.-I.; Koyama, K.: Elongational Viscosity for Miscible and Immiscible Polymer Blends.—I. PMMA and AS with Similar Elongational Viscosity, 757
Takasu, A.
—; Aoi, K.; Tsuchiya, M.; Okada, M.: New Chitin-Based Polymer Hybrids, 4: Soil Burial Degradation Behavior of Poly(vinyl alcohol)/Chitin Derivative Miscible Blends, 1171
Takata, H. See Sakiyama, T., 2227
Takayama, T. See Hasegawa, I., 1321
Takimoto, J.-I. See Sugimoto, M., 1493; Takahashi, T., 757
Taler, E. See Zagórska, M., 1423
Tamada, Y. See Furuzono, T., 2541
Tan, B. See Huang, H., 315
Tanaka, T. See Sugimoto, M., 1493
Tändler, B. See Schmack, G., 2785
Tang, S.
—; Tang, X.; Lu, Y.; Zeng, H.: Preparation of Redox Fibers Containing Hydroxy-Alkyl Amino Groups and Their Adsorptive Properties Toward Au(III), 47
Tang, X. See Tang, S., 47
Tasaka, S. See Inagaki, N., 1645
Tavares, M. I. B. See de Souza, C. M. G., 221
Tchoudakov, R. See Breuer, O., 1655
Tenhu, H. See Lowe, T. L., 1031

Thamizharasi, S.
—; Srinivas, G.; Sulochana, N.; Reddy, B. S. R.: Copolymerization of 4-Chlorophenyl Acrylate with Methyl Acrylate: Synthesis, Characterization, Reactivity Ratios, and Their Applications in the Leather Industry, 1153
Tharanikkarasu, K.
—; Kim, B. K.: Modification of Aqueous Polyurethane Dispersions via Tetraphenylethane Iniferters, 2993
Thomas, S. See George, S., 255
Thominette, F. See Launay, A., 1131
Tiers, G. V. D. See Errede, L. A., 1583
Tillman, M. S. See Shafizadeh, J. E., 505
Timm, D. C. See Tadros, R. M., 869
Tisato, K. See Yang, H., 623
Tjong, S. C.
—; Jiang, W.: Mechanical and Thermal Behavior of Polycarbonate Composites Reinforced with Aluminum Borate Whiskers, 2247
—; Jiang, W.: Mechanical and Thermal Properties of Poly(acrylonitrile–butadiene–styrene) Copolymer Reinforced with Potassium Titanate Whiskers, 2985
Toffey, A.
—; Glasser, W. G.: Chitin Derivatives. II. Time–Temperature–Transformation Cure Diagrams of the Chitosan Amidization Process, 1879
Torell, L. See Paronen, M., 1273
Torikai, A.
—; Shibata, H.: Effect of Ultraviolet Radiation on Photodegradation of Collagen, 1259
Torre, L. See Jimenez, A., 1069
Torri, G. See Crini, G., 2903
Tour, J. M. See Morgan, A. B., 707
Trejo-Quintero, G. See Volke-Sepúlveda, T., 1435
Tremblay, A. Y. See Kurdi, J., 1471
Tripathy, A. R. See Kim, K. J., 1285
Tsai, R.-S.
—; Lee, Y.-D.: Effect of Thermal History on Properties of *block*-Copolyetheresters with Poly(tetramethylene 2,6-naphthalenedicarboxylate) Segments, 1441
Tsaih, M. L.
—; Chen, R. H.: Effects of Ionic Strength and pH on the Diffusion Coefficients and Conformation of Chitosans Molecule in Solution, 2041
Tshabalala, M. A.
—; Denes, A. R.; Williams, R. S.: Correlation of Water Vapor Adsorption Behavior of Wood with Surface Thermodynamic Properties, 399
Tsuchiya, H. See Yang, G., 1387
Tsuchiya, M. See Takasu, A., 1171
Tsujita, Y. See Tsutsui, K., 2733
Tsutsui, K.
—; Yoshimizu, H.; Tsujita, Y.; Kinoshita, T.: Gas Permeation Properties of a Composite Membrane Filled with Poly(ethylene oxide) into a Porous Membrane, 2733
Tylli, H. See Lowe, T. L., 1031
Tzun, I.-S. See Wang, H.-H., 245

Uezu, K. See Yoshida, M., 1223
Umemura, K. See Obataya, E., 1727
Unger, R. See Vieweg, S., 495
Uriarte, C. See Alfageme, J. A., 323

Vallière, M. See Bouguettaya, M., 1483
van Duin, M. See Nieuwenhuizen, P. J., 1247
Varga, J. See Karger-Kocsis, J., 1205
Varughese, K. T. See George, S., 255
Vasudevan, T. See Anbarasan, R., 121
Velcheva, M. See Minkova, L. I., 2069
Verdu, J. See Launay, A., 1131
Vergnaud, J. M. See Perou, A. L., 1939
Victor, J. A.
—; Kim, S. D.; Klein, A.; Sperling, L. H.: New Methodologies for Separating Glass Transitions from Energy of Film Formation in Polystyrene Latexes, 1763
Vieweg, S.
—; Unger, R.; Heinrich, G.; Donth, E.: Comparison of Dynamic Shear Properties of Styrene–Butadiene Vulcanizates Filled with Carbon Black or Polymeric Fillers, 495
Villarreal, I. See Morales, E., 1023
Vitali, M. See Righetti, M. C., 377
Vogel, R. See Schmack, G., 2785
Volke-Sepúlveda, T.
—; Favela-Torres, E.; Manzur-Guzmán, A.; Limón-González, M.; Trejo-Quintero, G.: Microbial Degradation of Thermo-oxidized Low-Density Polyethylene, 1435
Vrentas, C. M. See Vrentas, J. S., 547
Vrentas, J. S.
—; Vrentas, C. M.: Validity of the First-Order Fluid Model, 547

Włochowicz, A. See Broda, J., 477
Walter, R.
—; Privalko, E. G.; Pedosenko, A. V.; Privalko, V. P.; Friedrich, K.: Composition-Dependent Properties of Polyethylene/Kaolin Composites. I. Degree of Crystallinity and Melting Behavior of Polyethylene, 1267
Walter, R. See Privalko, V. P., 1041
Wang, C.
Measurements of Interfacial Strength from the Blister Test, 1899
Wang, C.-S.
—; Lee, M.-C.: Synthesis, Characterization, and Properties of Multifunctional Naphthalene-Containing Epoxy Resins Cured with Cyanate Ester, 1611
—; Leu, T.-S.: Novel Bismaleimide with Naphthalene and Aryl Ether Linkages, 833
—; Shieh, J.-Y.: Phosphorus-Containing Epoxy Resin for an Electronic Application, 353

Wang, F.-Y.
—; Ma, C.-C. M.; Wu, W.-J.: Mechanical Properties, Morphology, and Flame Retardance of Glass Fiber-Reinforced Polyamide-Toughened Novolac-Type Phenolic Resin, 881
Wang, H. See Liu, X., 2569; Yu, L., 161
Wang, H.-H.
—; Lin, G.-C.: Synthesis of Aromatic Poly(amide-imide) Copolymers Containing *para–meta* Benzoic Structure, 2671
—; Shyr, T.-W.; Hu, M.-S.: Thermal and Rheological Properties of Poly(vinyl alcohol) Gel with Boric Acid as a Crosslinking Agent, 2219
—; Tzun, I.-S.: Modified Polyurethane with A Covalent Bond of Dye Molecule, 245
Wang, M. See Zhou, X., 1913
Wang, R. See Yang, C., 2535
Wang, R.-M. See Wang, Y.-P., 953
Wang, S. See Liu, T., 237
Wang, W.-J. See Hsiue, G.-H., 1231; Yao, Z., 615
Wang, X. See Liu, X., 2569
Wang, X.-P.
—; Shep, Z.-Q.; Zhang, F.-Y.; Zhang, Y.-F.: Preferential Separation of Ethanol from Aqueous Solution Through Hydrophilic Polymer Membranes, 1145
Wang, X.-Y. See Zhu, Z.-K., 2063
Wang, Y. See Liu, X., 2569; Mo, X., 2595
Wang, Y.-C. See Shih, H.-H., 1769
Wang, Y. M.
—; Gan, Y. Y.; Kang, E. T.; Gan, L. H.: A Comparative Study on the Properties of Poly(2,5-dimethoxy-1,4-phenylene vinylene) by the CPR and Wessling Methods, 2177
Wang, Y.-P.
—; Lei, Y.-H.; Wang, R.-M.: A New Kind of Ternary Copolymer for Ionic Conduction, 953
Wang, Z.
—; Gao, D.; Yang, J.; Chen, Y.: Synthesis and Characterization of UV-Curable Waterborne Polyurethane–Acrylate Ionomers for Coatings, 2869
Waterhouse, J. See Deng, Y., 1081
Wei, Y. See Zhou, W., 419
Wei, Y.-C. See Zhong, J.-P., 2863
Weng, J. See Xu, W. J., 2385
Weng, Z.-X. See Du, M., 2649; Shan, G.-R., 2635, 2641
Wessel, T. E. See Huang, Y.-B., 2455
Whittaker, A. K. See Forsythe, J. S., 169, 807
Williams, R. S. See Tshabalala, M. A., 399
Wong, C.-M. See Shih, H.-H., 1769
Wong, C. P.
—; Wu, J.; Pike, R. T.: Characterization of Reworkable High-Temperature Adhesives for MCM-D Application, 997
—; See Shi, S. H., 103
Woo, C. K. See Kumar, R. N., 1569
Wu, C.-C. See Shih, H.-H., 1769
Wu, H.-S.
—; Chuang, M.-H.; Hwang, J.-W.: Kinetics and Thermal Analysis of Copolymerization of *m*-Isopropenyl–α,α'-Dimethylbenzyl Isocyanate with Styrene, 2763
Wu, J. See Wong, C. P., 997
Wu, M. See Zha, L., 2895
Wu, T.-M.
—; Lee, C.-B.: Effect of Needle Density on the Mechanical Properties of Fiber-Reinforced Polypropylene Composites, 2169
Wu, W.-J. See Wang, F.-Y., 881
Wyser, Y. See Leterrier, Y., 1427

Xia, F. See Luo, G. S., 1555
Xiao, Y. See Liu, Y., 2391
Xiong, C. See Deng, X., 1401; Yuan, M., 2857
Xu, J. See Liu, Y., 521
Xu, W. J.
—; Weng, J.; Li, G. F.; Cao, Y. Q.: Manufacture of Modified Poly(vinyl acetal) Showing Fluorescence and Molecular Recognition, 2385
Xu, X.
—; Ge, X.; Zhang, Z.; Zhang, M.; Zuo, J.; Niu, A.: Microemulsion Polymerization of Methyl Methacrylate Initiated with γ Ray, 2621
Xue, Q.-J. See Zhang, Z.-Z., 2611

Yamada, K. See Hasegawa, I., 1321
Yamane, H. See Yang, H., 623
Yan, W. D. See Hu, S. W., 1397
Yanaki, T. See Kobayashi, A., 2447
Yang, C.
—; He, G.; Wang, R.; Li, Y.: Synthesis and Electrochemical Characterization of Soluble Poly(*p*-phenylene vinylene) Derivatives Containing Olefinic Bonds at the Side Chain, 2535
Yang, C.-P.
—; Chen, J.-A.: Synthesis and Properties of Organosoluble Poly(ether imide)s Containing 4,4′ (Octahydro-4,7-methano-5H-inden-5-ylidene) Cardo Group, 987
—; Liou, G.-S.; Chang, S.-Y.; Chen, S.-H.: Synthesis and Characterization of New Poly(amide-imide)s Based on 1,4-Bis(trimellitimido)-2,5-dichlorobenzene, 271
Yang, D.-L. See Hsu, J.-M., 527
Yang, G.
—; Zhang, L.; Feng, W.; Iijima, H.; Tsuchiya, H.: Miscibility of Blends of *Aeromonas* Gum or *Erwinia* Gum with Other Polysaccharides, 1387
Yang, H.
—; Yamane, H.; Kikuchi, H.; Yamane, H.; Zhang, G.; Chen, X.; Tisato, K.: Investigation of the Electrothermo-Optical Effect of a Smectic LCP–Nematic LC–Chiral Dopant Ternary Composite System Based on $S_A \leftrightarrow N^*$ Phase Transition, 623
Yang, J. See Wang, Z., 2869; Zha, L., 2895
Yang, J.-C. See Shih, W.-C., 2739
Yang, L. F.
—; Yao, K. D.; Koh, W.: Kinetics Analysis of the Curing Reaction of Fast Cure Epoxy Prepregs, 1501

Yang, S. See Yu, L., 161
Yang, Y. See Zhu, Z.-K., 2063, 2977
Yao, K. See Chen, G., 425
Yao, K. D. See Yang, L. F., 1501
Yao, Z.
—; Li, B.-G.; Wang, W.-J.; Pan, Z.-R.: Continuous Thermal Bulk Copolymerization of Styrene and Maleic Anhydride, 615
Yeh, C.-F. See Hsu, W.-P., 431
Yeom, C. K.
—; Kim, H. K.; Rhim, J. W.: Removal of Trace VOCs from Water Through PDMS Membranes and Analysis of Their Permeation Behaviors, 601
Yin, J. See Zhu, Z.-K., 2063, 2977
Yoo, Y.-S. See Choi, S.-C., 41
Yoon, K. H. See Kil, S. B., 2123
Yoshida, M.
—; Uezu, K.; Goto, M.; Furusaki, S.: Metal Ion Imprinted Microsphere Prepared by Surface Molecular Imprinting Technique Using Water-in-Oil-in-Water Emulsions, 1223
Yoshimizu, H. See Tsutsui, K., 2733
Youk, J. H.
—; Ha, W. S.; Jo, W. H.; Lee, S. W.: Thermodynamic Properties and Crystallization Behavior of Poly(*p*-phenylene succinate), 801
—; See Chang, Y. K., 1851
Yu, G.
—; Zhang, M. Q.; Zeng, H. M.; Hou, Y. H.; Zhang, H. B.: Effect of Filler Treatment on Temperature Dependence of Resistivity of Carbon-Black-Filled Polymer Blends, 489
Yu, H.-P. See Zhong, J.-P., 2863
Yu, J.
—; Li, B.; Lee, S.; Ree, M.: Relationship between Physical Properties and Chemical Structures of Poly(ethylene terephthalate-*co*-ethylene isophthalate), 1191
Yu, J. J.
—; Ryu, S. H.: Ultraviolet-Initiated Photografting of Glycidyl Methacrylate onto Styrene-Butadiene Rubber, 1733
Yu, L.
—; Liu, W.; Yang, S.; Wang, H.: An Investigation of the Friction and Wear Behaviors of Micrometer Copper Particle and Nanometer Copper Particle-Filled Polyoxymethylene Composites, 161
Yu, T. See Chen, X., 975; Sun, Y., 2255
Yu, T. L. See Hsieh, Y. N., 2413
Yu, Z.-Z. See Ou, Y.-C., 767
Yuan, M.
—; Xiong, C.; Li, X.; Deng, X.: Polymerization of Lactides and Lactones. 3. Ring-Opening Polymer of DL-Lactide by the $(\eta^3\text{-}C_3H_5)_2Sm(\mu_2\text{-}Cl)_2(\mu_3\text{-}Cl)_2Mg(tmed)(\mu_2Cl)Mg(tmed)$ Complex, 2857
—; See Deng, X., 1401
Yuhai, G.
—; Jianchun, Z.; Meiwu, S.: Surface Graft Copolymerization of Acrylic Acid onto Corona-Treated Poly(ethylene terephthalate) Fabric, 1161
Yun, S.-H. See Lee, C.-H., 841

Zagórska, M.
—; Taler, E.; Kulszewicz-Bajer, I.; Proń, A.; Niziol, J.: Conductive Polyaniline–Polyamide 6 Blends Processed from Formic Acid with Improved Stability against Deprotonation, 1423
Zaikov, G. E. See Iordanskii, A. L., 981; Kolesov, S. V., 85
Zelenetskii, A. N. See Baranov, A. O., 1563
Zeng, H. See Tang, S., 47
Zeng, H. M. See Yu, G., 489
Zha, L.
—; Wu, M.; Yang, J.: Hydrogen Bonding and Morphological Structure of Segmented Polyurethanes Based on Hydroquinone–bis(β-hydroxyethy)ether as a Chain Extender, 2895
Zhang, A.
—; Zhang, G.; Zhang, H.: Effective Promotion of Tetrahydrofuran Polymerization Initiated with Heteropolyacid, 2303
Zhang, B.
—; Liao, S.; Shi, K.; Du, Z.; Du, M.; Zheng, L.; Huang, J.: Modification of Epoxy Resins by Acrylic Copolymers with Side-Chained Mesogenic Units, 1787
Zhang, F.-Y. See Wang, X.-P., 1145
Zhang, G. See Yang, H., 623; Zhang, A., 2303
Zhang, H. See Huang, H., 315; Liu, T., 237; Zhang, A., 2303
Zhang, H. B. See Yu, G., 489
Zhang, L. See Yang, G., 1387
Zhang, M. See Xu, X., 2621
Zhang, M. Q. See Yu, G., 489
Zhang, Q. See Liu, R., 2603
Zhang, X.
—; Bell, J. P.: Studies of Arenediazonium Salts as a New Class of Electropolymerization Initiator, 2265
Zhang, Y.-F. See Wang, X.-P., 1145
Zhang, Z. See Xu, X., 2621
Zhang, Z.-Z.
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Friction and Wear Characteristics of Ceramic Particle Filled Polytetrafluoroethylene Composites Under Oil-Lubricated Conditions, 2611
Zhao, J. See Chen, G., 425
Zheng, L. See Zhang, B., 1787
Zheng, S.
—; Guo, Q.; Mi, Y.: Blends of Poly(hydroxyether of bisphenol A) and Polycarbonate: *In Situ* Polymerization Preparation, Miscibility, and Transreaction, 1181
—; See Huang, P., 639
Zhong, J.-P.
—; Li, S.-D.; Wei, Y.-C.; Peng, Z.; Yu, H.-P.: Study of Preparation of Chlorinated Natural Rubber from Latex and Its Thermal Stability, 2863
Zhong, W. See Chen, X., 975
Zhong, Z. See Huang, P., 639

Zhorina, L. A. See Baranov, A. O., 1563
Zhou, J. See Sun, Y., 2255
Zhou, W.
—; Dong, J. H.; Qiu, K. Y.; Wei, Y.: Effect of 3-Aminopropyltriethoxysilane on Properties of Poly(butyl acrylate-*co*-maleic anhydride)/Silica Hybrid Materials, 419
Zhou, X.
—; Pan, P.; Chen, H.; Wang, M.: Synthesis and Photoconductivity Study of Azo Functional Polymers, 1913
Zhu, W. See Huang, P., 639
Zhu, Z.-K.
—; Yang, Y.; Yin, J.; Qi, Z.-N.: Preparation and Properties of Organosoluble Polyimide/Silica Hybrid Materials by Sol–Gel Process, 2977
—; Yang, Y.; Yin, J.; Wang, X.-Y.; Ke, Y.-C.; Qi, Z.-N.: Preparation and Properties of Organosoluble Montmorillonite/Polyimide Hybrid Materials, 2063
Zimich, O. N. See Kyritsis, A., 385
Zuo, J. See Xu, X., 2621

Journal of Applied Polymer Science

Subject Index—Volume 73

Ablativity, 1623
Abrasion resistance, 663
ABS, 2985
Absorption, 2293
Acceptor and donor parameters, 399
Acetylene-functional polymer, 857
Acrylamide, 55, 1845
Acrylate, 515, 663
Acrylic acid, 1357, 1955
Acrylic copolymer, 1787
Acrylic polymers, 1153
Acrylonitrile, 55, 1757, 2255
Acrylonitrile-*co*-butadiene-*co*-styrene terpolymer, 841
Adapted nondominated sorting genetic algorithm, 729
Addition-cure phenolics, 695
Additive, 719
Adhesion, 1645
Adhesive force, 2749
Adhesive fracture energy, 1899
Adhesives, *N*-(4-hydroxy) phenylmaleimide, 695
Adsorption, 659, 1223
Adsorption capacity, 469
Adsorption parameter (α), 1583
Aeromonas gum, 1387
AFM analysis, 1117
Aggressive environment, 795
Aging, 1869
Air separation, 1471
Alcohol–permselective membrane, 1145
Alcohol–water mixture, 975
Alkaline protease, 2273
Alkyd ceramers, 2017
Alkyl cellulose, 2927
Alkynes, 707
Allyl compound, 1623
Allyl compounds, 1757
Allylurea, 409
Amidoximated chitosan-*g*-PAN copolymer, 469
Amino acids, 1081
4-Amino-*N*-(2-pyrimidinyl) benzene sulfonamide, 1379
3-Aminopropyltriethoxysilane, 419
Amino-protected glutamic acid, 869
Amphiphilic polymer, 2447
Amylopectin, 2429
Amylose, 2429
AN content, 935
Aniline, 121
Anionic polymerization, 1521, 1533
Annealing, 819
Antheraea pernyi silk fibroin, 2887
Aqueous gelatin coatings, 553
Aqueous two-phase system, 2545
Arenediazonium salts, 2265
Aromatic dicyanate, 1927
Aromatic dihydroxyl, 2369
Aromatic dihydroxyl monomers, 2369
Aromatic poly(amide-imide)s, 271
Aromatic polyester, 2911
Artificial weathering, 2525
Aryl ether linkage, 833
Asphaltenes, 29
Asymmetric membrane, 1471
Asymmetric structure, 2715
Automated light scattering, 2359
Automated viscometry, 2359
Average particle size, 2569
Azo functional polymer, 1913

Barrier property, 425
Bast fibers, 2057
Batch equilibrium, 369
Benzoyl poly(phenylene oxide) (B-PPO), 1697
Binderless panels/composites, 2485
Binodal, 2377
Biocomposites, 583
Biodegradability, 583
Biodegradable, 2159
Biodegradable polymer, 2785
Biodegradable polymers, 633, 869, 1171
Biodegradation, 1081
Birefringence, 943
Bis(ether anhydride), 987
Bismaleimide, 1623
Bismaleimides, 279
Bisphenol-A, 353
Bisphenol-S epoxy resin, 1799
1,4-Bis(trimellitimido)-2,5-dichlorobenzene, 271
Blend, 935, 1685, 1697, 2727
Blend fiber, 1049
Blends, 75, 221, 255, 295, 323, 431, 489, 639, 757, 1049, 1117, 1171, 1181, 1563, 1655, 1805, 1851, 2069, 2123, 2209
Blister test, 1899
block-Copolyetheresters, 1441
Blue shift, 2177
Boric acid, 2219
Boron, 1623
Boron nitride, 863
BSA, 1117
Bubble growth, 547
Bulk copolymerization, 2641
Bulk polymerization, 573
Bulk polymerizations, 2309
Butadiene, 1521

Calcium nitrate, 2887
Capillary rheometer, 2183
ε-Caprolactam, 1285
ε-Caprolactone, 1401
Carbon black, 489, 495, 969
Carbon black (CB), 1655
Carboxyl group, 741
Carboxylated nitrile rubber, 927
Carboxylated poly(vinyl chloride) (CPVC), 1117
Cast membrane, 961
Cation exchange membranes, 2095
Cationic photo curing, 1569
Cell culturing, 41
Cell-tunnel microporous, 1343
Cellulose ether, 2927
Cellulosic fibers, 2057
Ceramic particles, 2611
Ceric ion, 1757
Ceric ion–*p*-xylene redox system, 1751
Chain extender, 2895
Chain length dependence, 2627
Chain scission, 1059
Chain structure, 2921
Char yield, 1231
Charge-transfer, 1913
Charge-transporting group, 1913
Chelate complex, 469
Chelating polymer, 149
Chelation, 1097
Chemical gel, 2219
Chemical structure, 505

Chemical treatment, 489
Chitin derivatives, 1879
Chitosan, 113, 975, 2151, 2227
Chitosan membrane, 2715
Chitosan molecules, 2041
Chlorinated hydrocarbon, 601
Chlorinated natural rubber, 2863
Chlorinated polyethylene, 2755
Chlorination, 2863
Chlorine precursor route, 2177
4-Chlorophenyl acrylate (CPA), 1153
$(\eta^3\text{-}C_3H_5)_2Sm(\mu_2\text{-}Cl)_2(\mu_3\text{-}Cl)_2Mg(tmed)(\mu_2Cl)Mg(tmed)$ initiator, 2857
Cinnamoyloxyethyl methacrylate (CEMA), 2349
Clay, 425
Clay reinforcements, 1993
^{13}C nuclear magnetic resonance spectroscopy, 2113
Coagulation, 659
Coatings, 553, 2869
Coextrusion, 1939
Collagen, 1259
Colloids, 1239
Comblike polymer, 1397
Comonomer, 2813
Comonomer content, 2455
Compatibility, 841, 1823
Compatibilization, 2069
Compatibilizer, 841, 2255
Complex polymer objects, 85
Composite, 1451, 2209, 2247, 2391, 2985
Composite film, 2079
Composite membrane, 2733
Composites, 69, 505, 969, 1023, 1041, 1089, 1267, 1329, 1969, 2971
Composition, 1457
Composition dependence, 1891
Compression molding, 1441
Computer simulation, 2051
Concentration profiles of liquids, 2051
Condensation polymerization, 1081
Conductivity, 1397, 1891
Conductivity measurements, 91
Configurational entropy, 1891
Conformal coating, 2265
Conformation, 2887
Conjugated polymer, 2535
Continuous polymerization, 615
Copoly(amide-imide), 2671
Copolyamides, 1081
Copolyester, 1707, 2727
Copolyesters, 1191
Copolyimide, 521
Copolymer, 997
Copolymerization, 189, 2635, 2763
Copolymerization rate, 2649
Copolymers, 55, 1239
Copper metal, 1645
Core–shell latex morphology, 2235
Corona-discharge treatment, 1161
Corrosion prevention, 2849
Cotton cellulose, 1007
Coupler, 2029
Crosslinked hydroxypropyl cellulose films, 1015
Crosslinking, 521, 649, 663, 1089, 1305, 1483, 1509, 2391, 2691, 2799
Crosslinking agents, 2575
Crosslinking epoxy–bisphenol-A copolymerization, 593
Crosslinking promoters, 169
Crude oil, 29
Crystal lattice, 2813
Crystal structure, 237
Crystallinity, 807, 1267, 2733
Crystallization, 767, 1215, 2003, 2455, 2507
Cure, 2391
Cure characteristics, 813
Cure reaction, 1799
Cured epoxy, 795
Curing, 2089
Curing effect, 2595
Cyanate, 1611
Cyanoethylation, 2771
Cyclic dimer concentration, 729
Cyclic voltammetry, 91
Cycloaliphatic diepoxide resin, 1569
β-Cyclodextrin, 2903

Decomposition kinetics, 2911, 2927
Deeply double-edge notched tensile, 177
Degradation, 287, 1139, 1171, 2525
Degradation behavior, 505
Degradation mechanism, 1409
Degree of randomness, 1851
Dendritic macromolecule, 953
Density, 943
Depolymerization reaction, 2123
Design of experiments, 2473
Desorption capacity, 469
Dextran sulfate, 2227
Diallyl disulfide, 2951
Diamines, 279, 2143
4,4′-Diaminodiphenylmethane, 1799
4,4′-diaminodiphenylsulfone, 353
Dicyandiamide, 353
4,4′-Dicyclohexyl methane diisocyanate, 573
Die extrusion, 1451
Dielectric properties, 255
Dielectric relaxation, 1509
Diesters, 2143
Differential scanning calorimetry, 1741, 1763, 1799, 2413, 2755
Differential scanning calorimetry (DSC), 919, 1501
Diffusion, 455, 981
Diffusion coefficients, 2041
Diffusion kinetics, 981
Diffusivity, 1131
Diglycidyl ether of bisphenol A, 2089
Diglycidyl ether of bisphenol A (DGEBA), 2369
Diisocyanate isomer composition, 573
Dilute solution viscometry, 1633
Dimensional stability, 2493
4-Dimethylaminobenzaldehyde, 2385
2,2′-Dimethyl-4,4′-bis-(4-maleimidophenoxy)biphenyl, 279
Dimethyl ketene, 1
Disperse, 2569
Disperse dye, 245
Dispersion, 741, 1097, 1329
Dispersion polymerization, 1793
Dissolution, 547
Dissolution rate, 2749
Distilled water, 685
DL-Lactide, 2857
Docosahexaenoic acid, 961
Donnan equilibrium, 2227
Drawing, 719, 819
Drawing-induced polymorphism, 237
Drift molecular parameter, 2103
Drug carriers, 2143
Drug release, 1031
DSC, 677, 1117, 1921, 2089
DTG, 677
Dual extruder, 2209
Durability, 1427
Dye removal, 1007
Dyeability, 2293
Dyeing, 719
Dynamic contact angle, 1741
Dynamic mechanical analysis, 857
Dynamic mechanical analysis (DMA), 649
Dynamic mechanical characterization (DMA), 1969

Dynamic mechanical properties, 69
Dynamic mechanical thermal analysis (DMTA), 2017
Dynamic modeling, 2327

EB grafting, 409
EHPC treatment, 1493
Elastic behavior, 345
Electrical and mechanical properties, 2657
Electrical conductive composites, 489
Electrical-sensitive behavior, 1675
Electrochemical characterization, 2535
Electrochemical codeposition, 2079
Electrochemical synthesis, 91
Electron beam irradiation, 1493
Electron beam preirradiation, 1357
Electronic conductivity, 1483
Electronic mobility, 1913
Electropolymerization, 2265
Electrostriction polymer, 2603
Electrothermo-optical effect, 623
Elongation viscosity, 757
Elongational viscosity, 1493
Emulsion polymerization, 777, 2235
Encapsulation, 1949
End caps, 833
Ends pressure drop, 2183
Energy of film formation, 1763
Enhanced toughness and impact strength, 1285
Enzymatic degradation, 1081
Epoxidized natural rubber, 1165, 1633
Epoxidized natural rubber (ENR-50), 1569
Epoxy, 1231, 1993
Epoxy and anhydride, 103
Epoxy matrix, 69, 969
Epoxy resin, 639, 1611, 1969, 2029, 2739
Epoxy resins, 1457, 1501, 1787
Equilibrium melting points, 919
Equilibrium sorption, 981
Erwinia gum, 1387
Ethanol vapor, 2079
Ethanol–water mixture, 1145
Etherification, 1007
Ethyl methacrylate, 17
Ethylene glycol, 35
Ethylene propylene diene monomer rubber (EPDM), 1509
Ethylenes, 1583
Et(Ind)$_2$ZrCl$_2$-MAO, 1397
EVA, 221
Evaporation, 2587
Evolved gases analysis, 2937
Expanded polystyrene, 2463
Expansion, 2463

Fabrication divergences, 2103
Facilitated transport, 961
Factorial experimental design, 2755
Failure pattern, 1823
Fast-cure, 1501
$FeCl_3$-Impregnated montmorillonite, 2971
Fiber, 129, 943, 2255
Fiber spinning, 2209
Fiber structure, 477
Fiber–matrix adhesion, 1329
Fiber-containing diethanolamine group, 47
Fibers, 583, 1089, 1329, 1859, 2057
Fibrillar microporous, 1343
Fick's second-order differential equation, 2051
Filled rubber, 495
Filler networking, 495
Fillers, 377, 1089
Fine structure, 2681
Fire resistance, 2657
Flame retardance, 881
Flame retardant, 353
Flame retardants, 707
Flexural properties, 2391
Flexural property, 2169
Flip-chip, 103
Flocculation, 659
Flory–Huggins equation, 981
Flory–Huggins interaction parameter, 2135
Fluorescence, 2385, 2447
Fluorinated macromolecules, 1363
Fluorinated rubbers, 377
Foams with anisotropic properties, 2825
Food packaging, 1939
Formic acid, 1423
Fourier transform infrared spectroscopy, 1435, 2113
Fourier transform infrared spectroscopy (FTIR), 1569
Fourier transform infrared spectrum, 2921
Fracture of films and sheets, 177
Free radical polymerization, 1153
Freeze–thawing process, 1675
Freeze-dried X-ray photoelectron spectrometry, 1741
Frequency, 649
Friction, 129
Friction and wear, 2611
Friction and wear behaviors, 161
Frictional surfaces, 2611
Friedel–Craft reaction, 1845
FTIR, 1, 2837
FT-IR, 1483
FTIR analysis, 2691
Functional barrier, 1939
Functional trifluorovinyl monomers, 189
Functionalization, 1379
Functionalized monomer, 1483

Gamma radiolysis, 169
Gamma-rays, 141
Gas permeability, 2733
Gas separation, 521
Gas-phase kinetics, 1
Gel conversion, 1927
Gel effect, 2701
Gelation, 169, 869, 2701
Gelation behavior, 593
Gels, 593
Generalized rate equation, 2635
Genetic algorithm, 2309
Glass bead, 1451
Glass fiber, 795
Glass fiber surface mat, 881
Glass transition, 295, 1763, 1921
Glass transition temperature, 649, 857, 1191
Glass transition temperature (T_g), 75, 377
Globular microporous, 1343
Glutaraldehyde, 2691
Glycerol, 2595
Glycidyl methacrylate, 1569, 1733
Glycidylmethacrylate, 1793
Glycolic acid, 633
Glycolysis rate, 35
Glyoxal, 2691
Gold, 47
Gradient polymers, 1721
Graft, 1357
Graft copolymerization, 121, 1161, 1757
Grafted silica nanoparticles, 2701
Grafting, 677, 1007, 1751, 2187
Grafting degree, 2549
Grafting of dye, 245
Guar gum, 2437

1H,1H,9H-hexadecafluorononyl methacrylate, 1835
6-H-Dibenz[c,e][1,2]oxaphosphorin-6-[2,5-bis(oxiranylmethoxy)-phenyl]-6-oxide, 353
Hard domain structure, 2895

Hard segment, 345
Hardness, 663
H-bonding, 385
Heat and mass transfer, 1939
Heat treatment, 1727
Heterocyclic polymers, 2971
Heteropolyacid, 2303
High molecular weight tail, 2807
High pressure, 2799
High-density polyethylene, 2135, 2473
High-density polyethylene (HDPE), 1041
High-impact polystyrene/ethylene vinyl acetate (HIPS/EVA), 1655
High-pressure ethylene polymerization, 2327
High-pressure phase behavior, 1979
High-resolution thermogravimetry, 2911, 2927
High-speed melt spinning process, 2785
Hoffman–Weeks plot, 2135
Hollow fiber membrane, 2135
Homopolymerization, 1669
Hot tack, 1769
HX8000, 2517
Hybrid, 2063
Hybrid material, 419
Hybrid system, 1569
Hybrids, 1321
Hydrogel, 113, 2151
Hydrogel beads, 2273
Hydrogels, 1675, 1955
Hydrogen bond, 2569, 2895
Hydrolysis, 2771
Hydrophilicity, 41
Hydrophobic interaction, 1031
Hydroquinone–bis(β-hydroxyethy)ether, 2895
Hydroxybenzoic acid copolyester, 2911
Hydroxybenzoic acid copolymer, 2921

Immiscible polymer blends, 757, 1655
Immobilization, 2273
Immunoisolation, 1949
Impact property, 2169
Impact strength, 841, 935, 1823
In situ anionic polymerization, 1285
In situ polymerization, 1181
Inclusion/exclusion, 919
Industrial reactors, 333
Industrial semibatch reactor system, 729
Initiator, 2265
Injection molding, 1041, 1205, 2003, 2473
Inline, 2183
Inorganic fillers, 2657
Inorganic–organic hybrids, 1993
Inorganic/organic hybrids, 2977
Instrumented falling weight impact, 1205
Instrumented tensile impact, 1205
Interaction parameter, 2377
Intercalation polymerization, 2063
Interchain aggregates, 2447
Interchange reactions, 639
Interdiffusion, 2877
Interface, 741
Interfacial reactions, 889
Internal stress, 1427
Interpenetrating polymer network, 113, 1569, 1721
Interpenetrating polymer networks (IPNs), 1675
Intramolecular cyclization, 1927
Inverse gas chromatography, 399
Ion exchangers, 1007
Ion-assisted reaction, 41
Ionic crosslinking, 927
Ionic strength, 2041
Ionomer, 2993
IR, 1387
Isocyanate group, 2739
Isomarization, 1815
Isoprene, 1533
Isotactic polypropylene, 1205
Isotactic polypropylene fiber (iPP), 2959
Isotactic polypropylenes (i-PP), 2003
Isothermal crystallization, 801

Japanese lacquer, 1727

Kapton film, 1645
Kenaf fibers, 1751, 1757
Kinetic, 2701
Kinetic analysis, 1069
Kinetic parameters, 441, 1501
Kinetics, 315, 1799, 2727

Lactic acid, 633
Lamellae, 2813
Langmuir-type equation, 981
LaRC-IA polyimide fibers, 1215
Laser curing, 515
LCD, 623
LCP-*graft*-polyethylene, 2069
Lead, 899
Leather industry, 1153
Life cycle, 1427
Light scattering, 623
Light transmission, 1823
Light-emitting diode, 2177
Lignin, 2485
Lignin–silica hybrids, 1321
Limiting oxygen index, 353, 1231
Linseed oil, 2159
$LiPF_6$, 1023
Liquid crystalline copolyester, 2921
Liquid crystalline polymers, 2195
Liquid–liquid equilibria, 2627
Liquid–liquid phase separation, 1343
Local heterogeneity, 385
Long chain branches, 1493
Long-chain branching, 2807
Low molecular weight functionalized polyethylenes, 1457
Low-angle light scattering, 2413
Low-density polyethylene, 1451, 2807
Low-density polyethylene (LDPE) autoclaves, 2327
Lubricant, 129

Macrodiols, 573
Macroiniferter, 2993
Macroporous polyamines, 2903
Maize, 2429
Maleic anhydride–styrene copolymer, 2089
Maleimide-functional novolac, 695
Mass transfer, 1555
McBain's vacuum microbalance technique, 981
Measurement of effective piezoelectric properties, 2603
Mechanical, dynamic, and stress relaxation properties, 927
Mechanical properties, 505, 795, 881, 1549, 1805
Mechanical property, 2595
Mechanical recycling, 1775
Mechanism, 1139, 1247
Melt extrusion, 889, 1215
Melt flow index, 1205
Melt processing, 1329
Melt viscosity, 935, 1451
Melting behavior, 1267
Membrane, 1363
Membrane extraction, 1555
Membrane preparation, 1471

Membrane preparation condition, 2715
Membrane separation, 1145
Membranes, 1949, 2051
Mercury, 899
Meridional reflection, 2921
Mesogenic units, 1787
Metal additives, 2849
Metal chelate catalyst, 103
Metal ion chelating resin, 369
Metal ion exchange resin, 1223
Metal polymer catalyst, 1793
Metal powders, 1139
Metallic organic compounds, 2977
Metallocene, 1685, 1769
Metallocene catalyst, 2507
Methacrylate, 663, 2575
Methacrylic acid, 149
Methanol, 2887
Method of quantitative analysis, 1835
Methyl crotonate, 17
Methyl isobutyrate, 17
Methyl methacrylate, 1, 2621
Methyl pendant PBZT, 305
m-Hydroxybenzoic acid, 2911
Microemulsion polymerization, 2621
Microlayers, 2877
Microporous films, 1089
Microporous polypropylene fiber, 1549
Microporous structure, 1549
Microspherical particle, 1223
Microstructure, 55, 1521, 1533
Microvoid, 363
Microwave, 2391
Migration, 2587
Mineral filler, 1805
Miniemulsion polymerization, 315
Miscibility, 1387, 1441, 2123
Miscibilization, 1457
Miscible blends, 757
Mixed microphase, 385
MMA, 141, 2187
Modeling, 1939, 1979
Modification, 1787
Modifications chemistry, 1457
Modified Bonart's viscoelastic model, 1305
Modified cement mortar, 685
Modified double lattice model, 2627
Modified poly(ethylene terephthalate), 1707
Modified SIS technique, 2103
Moisture exclusion, 2493
Moisture sorption, 1633
Moisture uptake, 295
Molecular imprinting, 1223
Molecular recognition, 2385
Molecular structure, 2507
Molecular thermodynamics, 2627
Molecular weight, 777, 1205, 2359, 2455
Molybdenum, 369
Monomer conversion, 729
Monomers, 1239
Montmorillonite, 659, 2063
Mooney viscosity, 2951
Morphological properties, 75
Morphology, 227, 305, 841, 1023, 1769, 1805, 2123, 2349, 2813, 2895
m-TMI, 2763
Mucoadhesive, 2749
Mulberry, 363
Mulch, 2159
Multifunctionality, 1611
Multilayer composites, 1427
Multiobjective optimization, 729
Multizone, multifeed high-pressure ethylene polymerization autoclaves, 2327
Mutual irradiation method, 2959

N-Acylacrylamide, 1845
Nadic end cap, 2391
N-Alkylacrylamide, 1845
Nanocomposites, 1993
Nanometer filler, 161
Naphthalene, 1611
Natural phenolic compounds, 29
Natural polymer, 975
Natural rubber, 813, 1165
Natural rubber latex, 2863
NBR, 935
Needle punching, 2169
Neem seed oil, 2437
Network, 2569
Network heterogeneity, 1031
Neural network, 2183
New regenerated cellulose, 2681
N-isopropylacrylamide, 1031
N-Isopropylacrylamide (NIPAAm), 1955
Nitrile rubber, 255
NLC, 623
N-methylmorpholine-*N*-oxide, 2681
NMR, 55, 221
No-flow underfill, 103
Noncoplanar, 279
Nonisothermal, 767
Novolac, 295
Novolac epoxy, 695
Novolac-type phenolic resin, 881
N-phenylmaleimide, 2649
NR/EPDM blends, 749
N-substituted maleimide, 2641
Nuclear magnetic resonance, 2727
Nucleation, 477
Nucleation mechanism, 315
Number average chain length, 729
N-Vinylcarbazole, 2971
Nylon, 129
Nylon 6, 295, 333, 729, 1563
Nylon 6–PEG block copolymer, 1285

4,4′(Octahydro-4,7-methano-5H-inden-5-ylidene), 987
Oil absorptivity, 2349
Oil lubrication, 2611
Olefinic bonds, 2535
One- and two-step syntheses, 1815
One-step polymerization, 907
Online, 2183
Optical clarity, 2455
Optical configuration, 819
Optimization, 2309
Organic corrosion inhibitors, 2849
Organic deposition, 29
Organolanthanides, 1669
Organosoluble, 2063
Orientation, 819
Orientation index, 2921
o-Toluidine, 121
Oxazoline, 1685
Oxidative degradation, 1633
Oxidized polyethylene, 2755
Oxygen effect, 807

p–t-Butylbenzoyl poly(phenylene oxide) (*p–t*-BB-PPO), 1697
PA-6, 767
PAAc, 113
p-Acetoxybenzoic acid, 1707
Paper, 2159
para–meta Containing, 2671
Parameters kinetics, 1409
Parametric sensitivity, 333
Partial miscibility, 227
Particle filler, 2877
Particle-size distribution, 315
Payne effect, 495
PBZT, 305
PE materials ranking, 2103
PE molecules separation, 2103
PEG-*co*-PLA, 2151
PEI, 323
Pendant naphthalene unit, 833
Pentane, 2463
PEO, 1023
Perfluorinated polyphosphazene, 1023

Perfluoroalkylethyl acrylate/*n*-alkyl acrylate copolymers, 1741
Permittivity, 969
Permselectivity, 1145, 1835, 1949
Peroxide, 2799
Persulfate-initiated polymerization, 1097
Pervaporation, 601, 975, 1145, 1363
PET nonwoven fiber treated with polymer, 2349
PET/SiO_x films, 1427
PFA copolymer films, 2095
pH, 2041
Phanerochaete chrysosporium, 1435
α-Phase, 1205
β-Phase, 1205
Phase composition, 1851
Phase fraction, 1851
Phase inversion, 907, 1471
Phase separation, 1285, 2135, 2377
Phase transitions in solutions, 1343
Phenol–epoxy reaction, 695
Phenolic composites, 649
Phenolic novalac, 353
Phenolic resins, 505
Phenoxy, 1181
Phenoxy resins, 2369
Phenylnitrile-based polymer, 2937
Phosphorus, 707, 2575
Phosphorus-containing epoxy resin, 353
Phosphorylated cashew nutshell liquid, 813
Photo reaction, 1197
Photoconductivity, 1913
Photocrosslinking, 2349
Photodegradation, 1259
Photoinitiator, 1569
Photolithography, 1197
pH-sensitive swelling, 2227
Phthalonitrile resin, 2937
pH-Thermoreversible hydrogels, 1955
Physicomechanical properties, 813
Physicomechanical properties, 2485
Piezoelectric polymer, 2603
Pigment, heat-stabilization, 477
Plant fibers, 2057
Plasma chemistry, 17
Plasma graft polymerization, 1835
Plasma polymerization, 1
Plasticization, 2463
Plasticizer migration, 425
Plastics, 2595
Plastics recycling, 1775
Plastisols, 1069
PMMA, 425, 431, 2993
Polar additives, 1521, 1533
Poly(2,5-dimethoxy-1,4-phenylene vinylene), 2177
Poly(2,6-dimethyl-1,4-phenyl oxide), 841
Polyacrylamide, 2273
Poly(acrylamide-*co*-methacrylic acid), 2273
Polyacrylates, 1979
Polyacrylic acid, 1097
Polyacrylonitrile, 1751
Polyamide 6, 889, 1423, 1805
Polyamide (PA-6, PA-66), 881
Polyamideimide, 2671
Polyamides, 2143
Polyaniline, 287, 1423
Polyaniline-4-dodecylphenol complex (PANi–DDPh), 2849
Polyaspartimides, 279
Polybenzoxazine, 857, 2937
Polyblend fiber, 69
Poly(borazinylamine), 863
Polybutadiene, 2799
Poly(butyl acrylate-*co*-maleic anhydride), 419
Poly(butylarcrylate-*co*-butylmethacrylate), 1239
Polycarbonate, 663, 707, 1181, 1823, 2247
Poly(dimethyl siloxane), 2235
Poly(dimethylsiloxane), 601
Polydimethylsiloxane, 2739
Polydimethylsiloxanes, 441
Polyelectrolyte complex gel, 2227
Polyester, 943
Polyester resin, 795
Polyesters, 869
Poly(ether ether ketone), 237
Poly(ether imide)s, 987
Poly(ether sulfone), 2113
Poly(ether sulfone ketone) copolymer, 2113
Polyetherimide, 1471
Polyethersulfone, 1363
Polyethylene, 1415, 1769, 2877
Polyethylene biodegradation, 1435
Polyethylene film, 1869
Polyethylene isophthalate, 1191
Polyethylene oxide, 659, 1379
Poly(ethylene oxide), 2733
Poly(ethylene terephtalate) (PET), 1131
Poly(ethylene terephthalate), 35, 639, 1161
Polyethylene terephthalate, 1191
Poly(ethylene terephthalate), 2029
Poly(ethylene terephthalate) blends, 203
Poly(ethylene terephthalate) fiber, 121
Poly(ethylene-*co*-vinyl acetate), 227
Poly(ethylene-*co*-vinyl alcohol), 1049
Polyethylene/kaolin composites, 1041, 1267
Polyethylene/LCP blends, 2069
Poly(ethylenimine)-coated silica, 899
Poly(glycidylmethacrylate-*co*-divinyl-benzene), 1549
Poly(hydroxy ether of bisphenol A), 1805
Poly(hydroxy of bisphenol A), 227
Poly(hydroxybutyrate-*co*-hydroxyvalerate), 1059
Polyimide, 2063, 2391
Polyimide–amide–epoxy (PIAE), 997
Polyimides, 907
Polylactide, 2785
Polylactide fibers, 2785
Polymer electrolyte, 1397
Polymer electrolytes, 1023
Polymer miscibility, 639
Polymer morphology, 1343
Polymer networks, 869
Polymer solution, 2627
Polymer swelling, 1583
Polymer-ferrocene conjugate, 2143
Polymeric fillers, 495
Polymeric single-ionic conductor, 953
Polymerization kinetics, 2621
Polymerization rate, 777
Polymerization reaction engineering, 333
Polymethacrylic acid gel, 1793
Poly(*N*-glycidyl) carbazole, 1483
Poly(*N*-isopropylacrylamide), 2545
Poly(*N*-vinylisobutylamide), 2545
Polyolefin foams, 2825
Polyolefins, 2549
Polyoxymethylene, 161
Poly(phenylene oxide), 889
Poly(phenylene oxide) (PPO), 1697
Poly(*p*-phenylene succinate), 801
Poly(*p*-phenylenevinylene) derivative, 2535
Polypropylene, 177, 255, 819, 1049, 1493, 1859, 2169, 2293, 2507, 2517, 2837
Polypropylene and rubber blends, 1563
Polypropylene fiber, 69, 477, 719

Poly(SMA-*co*-CEMA), 2349
Polystyrene, 1583, 2029
Polystyrene latexes, 1763
Polystyrene Petri dishes, 41
Polystyrene-gradient poly(methyl acrylate), 1721
Poly(sulfobetaines), 1409
Polysulphone–polydimethyl–siloxane, 1823
Polytetrafluoroethylene composites, 2611
Polytetrafluoroethylene (PTFE), 919
Poly(tetrafluoroethylene-*co*-perfluoromethyl vinyl ether), 807
Poly(tetrafluoroethylene-*co*-perfluoromethylvinylether), 169
Polyunsaturated fatty acid, 961
Polyurethane, 245, 527, 741, 1949, 2895
Polyurethane dispersion, 2993
Polyurethane elastomer, 2603
Polyurethane membrane, 2377
Polyurethanes, 573
Poly(vinyl acetal), 2385
Poly(vinyl acetate), 2413
Poly(vinyl alcohol), 2219
Poly(vinyl chloride), 85, 2657, 2755
Poly(vinyl chloride) (PVC), 1117
Poly(vinyl chloride)/epoxidized natural rubber blend (PVC/ENR blend), 75
Poly(vinyl fluoride), 1273
Poly(2-vinylnaphthalene) (P2VN), 1697
Poly(3-hydroxybutyrate), 455
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 455
Poly(3-methylthiophene), 91
Porosity, 719
Porous particles, 2235
Porous polyhydroxamic acid, 149
Porous polymer, 1793
Positive temperature coefficient, 489
Postcure, 649
Potassium titanate, 2985
Powered isotactic polypropylene, 1357
PPG, 633
PPO, 767
Ppy, 2079
Precursor, 863
Preirradiation-induced grafting copolymer, 47
Printing screen, 515
Process optimization, 2473
Processing window, 833
Properties, 305
Properties of the resins, 1815
Protein separation, 2545
Proton nuclear magnetic resonance, 2921
PUA dispersions, 2869
Purity, 2517
PVA, 677, 2079
PVAc, 221
PVA/chitin derivative hybrids, 1171
PVC, 1069
PVC/CPVC blend, 1117
PVP poly(vinyl pyrrolidone)}, 2359
Pyrolysis–GC, 441

Quenched slabs, 2003
Quenching, 2385

γ-Radiation, 1059
Radiation resistance, 1697
Radiation-induced graft copolymerization, 2095, 2959
Radical polymerization, 2701
Radicals, 169
Radio-frequency-sputtered polyethylene film, 1869
Radiolysis, 807
Raman, 943
Random fluorinated copolymers, 919
Rapid-melt crystallization, 919
Rare earth phenyl compound initiators, 1401
Reaction extrusion, 841
Reaction kinetics, 2763
Reactive blending, 1685, 2123
Reactive compatibilization, 889
Reactive extrusion, 2549
Reactivity, 841
Reactivity ratios, 189
Reactors, 333
Reclaiming, 2951
Reclaiming agent, 2951
Reclamation, 2517
Recycling, 1859, 1939
Redox adsorption, 47
Redox fiber, 47
Redox system, 315
Regeneration, 899
Relaxation, 385
Relaxation mapping analysis, 527
Relaxation mechanisms, 1509
Relaxation process, 1727
Relaxation spectrometry, 1823
Relaxations, 1921
Renewable resource, 2951
Residual stress, 1899
Resonance peak assignment, 2921
Restabilization, HDPE bottle crates, 1775
Reversion behavior, 1165
Reworkability, 997
Reworkable high-temperature adhesives, 997
RFFMH liquid crystal display, 1197
Rhenium, 369
Rheological changes, 2701
Rheological properties, 75, 2549
Rheology, 2771
Ring-opening polymerization, 1401, 2857
Ring-opening polymerization (ROP), 1669
Rodrun®, 323
Rubber, 1685
Rubber size, 935
Rubber toughening, 203
Rubber vulcanizate, 2587
Rubbers, dispersivity and phase structure, 1563
Rubbers, size of disperse phase particles, 1563

SAN, 935, 1685
Saturated molar solubility fraction, 2641
Scanning electron microscopy, 1387, 1823, 2413
Sea algae fibers, 583
SEBS block copolymers, 203
Selectivity, 2733
SEM, 677
SEM analysis, 1117
Semidilute, 2429
Shape-memorized crosslinked ester-type polyurethanes (PUs), 1305
Shape-memory polymers, 1305
Shear controlled orientation in injection molding (SCORIM), 2473
Shear degradation, 1633
Short-chain branching, 1415
Si–imidazole modification, 1645
Silane-coupling reactions, 1645
Silicates, 2977
Silicon, 1231
Silicon carbide, 1321
Silicone, 141
Silicone rubber, 2779
Silk fiber, 363, 2187
Silk fibroin, 975, 2255

Silver ion, 961
Skin-core morphology, 1205
SMA, 1685
Software sensor, 2309
Soil burial degradation behavior, 1171
Sol–gel, 419
Sol–gel precursor content, 2017
Sol–gel process, 2977
Solid polymer electrolyte, 1891
Solid-state ^{13}C-NMR, 563
Solid-state NMR, 2799
Solubility, 271
Solubilization, 2447
Soluble polyimides, 907
Solution processing, 1423
Sorption, 455, 899, 981, 2903
Sorption models, 323
Soy protein polymer, 2595
Soy-based copolyamides, 1081
Soybean oil, 2159
Spectroelectrochemistry, 287
Spin drawing process, 2785
Spinnability, 1859
Spinodal, 2377
Stability, 2863
Stability constant, 469
Stability of polymer dispersion, 777
Stannic oxide, 2779
Starch, 409, 2429, 2437
Starch grafting, 409
Starch plasticization, 409
State estimation, 2309
Statistical Associating Fluid Theory equation of state, 1979
Stearic acid concentration, 1165
Stereoregular, 431
Stiffness, 2985
St-MAH copolymerization, 615
Storage modulus, 649
Streak, 1049
Stress, 553
Stress relaxation, 1993
Structural recovery, 1427
Structural–physical states, 85
Structure, 305, 2813
Styrene, 2095
Styrene content, 563
Styrene copolymer, 2235
Styrene maleic anhydride, 2029
Styrene sequence, 563
Styrene–acrylonitrile–glycidil methacrylate, 841
Styrene–butadiene rubber, 1733
Substituted phenolic derivatives, 2903
Succinic anhydride grafted polypropylene, 2837
Sulfonated poly(vinyl fluoride), 1273
Sulphuric acid, 685
Supercritical fluids, 1979
Superposition, 1993
Surface, 741
Surface acid-base enthalpy, 399
Surface active additive, 1363
Surface modification, 41, 129, 1733
Surface template polymerization, 1223
Suspension copolymerization, 2649
Suspension polymerization, 149
Swelling, 377, 1081, 1555, 1955
Swelling in solvents, 1015
Swollen beads, 2463
Symmetrical Gaussian distribution, 2681
Synthesis, 863, 2385, 2535

Tan δ, 75, 649
Temperature, 1015
Template polymerization, 2749
Tensile properties, 75, 169, 1059
Tensile strength, 2247
Terminator, 663
Ternary copolymer, 953
Tetraethoxysilane, 419
Tetrafluoroethylene, 189, 777
Tetrahydrofuran polymerization, 2303
Tetra-*n*-alkylammonium salts, 91
T_g, 527
TGA, 677
TGA-FTIR, 2195
T_{global}, 527
Theophylline, 2715
Thermal analysis, 1435, 2763
Thermal behavior, 271
Thermal bulk polymerization, 615
Thermal decomposition, 1409, 2927
Thermal degradation, 85, 441, 997, 1069, 2195, 2911
Thermal expansion, 2825
Thermal history, 1441
Thermal parameters, 2691
Thermal properties, 189, 345, 1023, 1059, 2549
Thermal property, 2349
Thermal stability, 997, 2779, 2937
Thermal treatments, 2825
Thermally stimulated current, 527
Thermally stimulated currents, 1921
Thermodynamic properties, 801
Thermoelastic behavior, 1041
Thermoforming, 2825
Thermogravimetric analysis, 91, 1409, 1763
Thermogravimetry, 1069, 2113, 2927
Thermolysis/reactive distillation, 1415
Thermomechanical aqueous vapor stream process, 2485
Thermoplastic cellulose ester, 1329
Thermoplastic composite, 2169
Thermoplastic elastomer polyurethane, 2525
Thermoplastic polyurethane elastomer, 345
Thermoplastic-apparent interpenetrating polymer networks, 385
Thermoplastics, 583
Thermosensitive polymer, 2545
Thermostability, 2927
Thermostable polymer, 2671
Thermotropic liquid crystalline polymer, 1707, 2209, 2517, 2911
Thin films, 1899
Third virial coefficient, 2359
Time of protection, 1939
Time–temperature superpositioning, 649
Time–temperature–transformation cure diagrams, 1879
TMTD, 1247
Toughness, 177
Transesterification, 2123
Transesterification reaction, 2727
Transfer film, 161
Transient intermediate, 1139
Transition energy, 1533
Transition energy measurements, 1521
trans-Polyoctylene rubber (TOR), 749
Transreaction, 1181
Transreactions, 1851
Triblock copolymer, 1823
Triethylene glycol dimethacrylate, 149
TSC, 1921
TSDC, 1921
Turbidity, 2447
Tussah, 363
Two-beam, 819
Two-step polymerization, 907

UL-94 V-0, 707
UL-94V test, 353
Ultrafiltration membrane, 907
Ultrafiltration membranes, 1117

Ultrasonic wave propagation, 1969
Ultraviolet light irradiation, 521
Ultraviolet radiation, 1259
Ultraviolet (UV)-curable waterborne polyurethane–acrylate (PUA) ionomer, 2869
Uniaxially stretching, 1549
Unsaturated epoxyfumarate resins, 1815
Unsaturated epoxymaleate resins, 1815
Unsaturated polyester, 563, 2413
Urea formaldehyde, 2437
Urushiol, 1727
UV curable, 2575
UV irradiation, 1675
UV photografting, 1733

Vanadium, 369
Vectra, 2195
Vinyl acetate, 17
Vinyl chloride, 2649
Vinyl group, 515
Vinyl monomer, 2641
Vinyl polymers, 1089
Viscoelastic, 547
Viscoelastic behavior, 2017
Viscoelastic properties, 1727
Viscoelasticity, 2429, 2463
Viscometry, 1387
Viscosity, 515, 2309
Viscosity ratio, 1563
Vitamin B_{12}, 2715
Vitrification, 2701
Volatile organic components, 601
Volatile organic compounds, 1835
VTES, 141
VTF equation, 1397
Vulcanization, 1247

Waste polystyrene, 1139
Water, 455
Water clustering, 601
Water repellency, 2493
Water sorption, 323, 1131
Water vapor adsorption, 399
Water vapor sorption, 981
Water–polymer interactions, 1131
Wax, 2587
Weathering, 663
Wessling method, 2177
Wettability, 41
Whisker, 2247, 2985
Wide-angle X-ray diffraction, 1741, 2921
Wood particles, 399
Wood–polymer composite, 2493
Work of fracture, 177

XPS, 2779
X-ray, 363
X-ray diffraction, 227, 2113, 2681
Xydar, 2195

ZDMC, 1247
Zeta potential, 1117
Zinc acetate, 35
ZnO, 1247